


Valley & Aetna Building Products



2017 Product Guide

“We don’t build homes, we accessorize them.”

**54 Bradley Park Rd
East Granby, CT**

**1-877-546-1234
1-860-653-0010
1-860-653-1510 (fax)**

**Mailing Address
P.O. Box 59
Granby, CT 06035**




www.valleyandaetna.com

**225 Prospect St
East Hartford, CT**

**1-860-528-9552
1-860-289-2295 (fax)**



**Exit 40 off I-91
Rt. 20 to East Granby
Right onto Bradley Park Road**



**Exit 56 off I-84
Continue on Governor Street
Left onto Prospect Street**

54 Bradley Park Rd
East Granby, CT

1-877-546-1234
1-860-653-0010
1-860-653-1510 (fax)

Mailing Address
P.O. Box 59
Granby, CT 06035



VALLEY & AETNA
BUILDING PRODUCTS

www.valleyandaetna.com

225 Prospect St
East Hartford, CT

1-860-528-9552
1-860-289-2295 (fax)

PRODUCT AND MANUFACTURER LIST

SIDING

Mastic Vinyl
Mastic Aluminum
Exteria
Hardi Products
Foundry
Versetta Stone

NEW CONSTRUCTION WINDOWS

Plygem Wood & Vinyl
United Vinyl
Velux Skylights
Earthwise Vinyl

REPLACEMENT WINDOWS

Plygem Vinyl
United Vinyl
Trimline Wood
Earthwise Vinyl

DOORS

Masonite Exterior
Thermatru Exterior
Jeld Wen Exterior
Provia Exterior
Interior Doors
Storm Doors

DECKING/COMPOSITE TRIM

Azek/Timbertech Decking
Kleer PVC Trim Boards
Trim Solutions

RAILING

Azek
Pro Deck
Tamrail

INSULATION

Polar Industries
Fullback
Tyvek

ROOFING

Atlas
GAF
Tamko
Owens Corning
Metal Roofing
Underlayments
Drip Edges
Plygem Engineered Slate

SHUTTERS

Girardin
Mid-America
Mastic

GUTTER

Berger Aluminum
Berger Copper
Leaf Relief
Pine Guard

OTHER PRODUCTS

HB&G Columns
Light Blocks & Louvers
Mid-America Mantels
Fypon Products
Gordon Cellar Doors
Coil Stock
Nails & Fasteners

TOOLS

Malco
Werner Ladders

WE NOW CARRY BROSCO PRODUCTS

**54 Bradley Park Rd
East Granby, CT**

**1-877-546-1234
1-860-653-0010
1-860-653-1510 (fax)**

**Mailing Address
P.O. Box 59
Granby, CT 06035**



www.valleyandaetna.com

**225 Prospect St
East Hartford, CT**

**1-860-528-9552
1-860-289-2295 (fax)**

Valley & Aetna Building Products offers a variety of products for today's contractor. Our 30,000-square-foot facility is centrally located, ensuring timely deliveries to our Connecticut and Massachusetts clients. Quality products along with experience and knowledge will make your next project affordable and stress-free.

Deliveries

- Account must be current in order to receive deliveries.
- Materials will be billed when delivered.
- Any discrepancies must be reported within 24 hours from time of delivery.
- All deliveries will be made within 48 hours of receipt of written order.
- Regular deliveries will be charged a \$15.00 delivery fee.
- Boom Truck deliveries are \$65.00.

Special Orders

- Special order products will be invoiced after 30 days.
- No credit will be allowed on special ordered items.
- Full box quantities only.
- Please allow 2 weeks for most special order deliveries.
- Certain products may require longer lead times.

Return Policy

- All returns are subject to a 15% restocking fee.
- No credit will be allowed for custom or special order items.
- Products in excess of 17' are not returnable.
- Returns must be made within 45 days of original purchase.
- Returns will not be accepted for materials purchased as discounted or final sale.
- All merchandise must be clean and undamaged. No credit will be issued for material, which is unsuitable for immediate re-sale.

Pricing is subject to change without notice. Call Valley & Aetna Building Products for current pricing.

| | |
|--|--------------|
| Siding & Accessories | 6-17 |
| Trim Coil | 18 |
| Insulation | 19 |
| Mount and Vents | 20-22 |
| MidAmerica Mantels and Door Surrounds | 23-24 |
| PVC Trimboard and Accessories, Klear | 25-27 |
| Shutters | 28 |
| Roofing | 29-37 |
| Gutters and Accessories | 38-40 |
| Azek Decking, Timbertech | 41-44 |
| Railings- Prodeck, Azek, Custom Built | 45-47 |
| Tools | 48-49 |
| Columns | 50 |
| Replacement Windows | 51-58 |
| New Construction Windows | 59 |
| Skylights | 60-62 |
| Lumber | 63 |
| Doors and Hardware | 64-72 |
| Storm Doors | 73-76 |




| | | |
|--|---|--|
| | <p><u>Carvedwood 44: CW240</u></p> <ul style="list-style-type: none"> • 12' 6" D4 panel • Woodgrain finish • Nominal .044" thick • 12 panels/1 sq. | <p>Per Square</p> <p>White Light Colors Classic Colors Deep Colors</p> |
| | <p><u>Mill Creek: MC40</u></p> <ul style="list-style-type: none"> • 12' 6" D4 panel • Woodgrain finish • Nominal .040" thick • 12 panels/1 sq. | <p>Per Square</p> <p>White Light Colors Classic Colors</p> |
| | <p><u>Ovation: OV40</u></p> <ul style="list-style-type: none"> • 12' 6" D4 panel • Woodgrain finish • Nominal .042" thick • 12 panels/1 sq. | <p>Per Square</p> <p>White Light Colors Classic Colors Deep Colors Solar Defense</p> <p style="text-align: center;">Ask about Mastic's five new Solar Defense colors!</p> |
| | <p><u>Super Long Length Quest: QT40LS255</u></p> <ul style="list-style-type: none"> • 10 colors in stock • 25' 6" D4 panel • Woodgrain finish • Nominal .046" thick • 6 panels/1 sq. and 2 sq./ctn. | <p>Per Square</p> <p>White Light Colors Classic Colors Deep Colors</p> |
| | <p><u>Quest: QT40</u></p> <ul style="list-style-type: none"> • 16' 8" D4 panel • Woodgrain finish • Nominal .046" thick • 9 panels/1 sq. | <p>Per Square</p> <p>White Light Colors Classic Colors Deep Colors</p> |



| <u>Light Colors</u> | | <u>Classic Colors</u> | <u>Deep Colors</u> | |
|---------------------|----------------|-----------------------|--------------------|---------------|
| Almond | Sage | Everest | Vineyard Grove | Deep Granite |
| Cameo | Sandtone | Harbor Grey | Misty Shadow | Montana Suede |
| Classic Cream | Silver Gray | Pebblestone | Autumn Harvest | Quiet Willow |
| Colonial Yellow | Tuscan Olive | Scottish Thistle | English Wedgwood | Russet Red |
| Desert Sand | Victorian Gray | Corn Silk | Rugged Canyon | |
| Linen | Wicker | | | |

| | | |
|--|--|--|
|  <p>White in Stock</p> | <p><u>Smooth Carvedwood: CW240S</u></p> <ul style="list-style-type: none"> • 12' 6" D4 panel • Smooth finish • Nominal .044" thick • 12 panels/1 sq. | <p>Per Square</p> <p>White Light Colors Classic Colors</p> |
|--|--|--|

| | | |
|---|--|--|
|  <p>Not in Stock</p> | <p><u>Cedar Discovery Half Rounds: CD65HR</u></p> <ul style="list-style-type: none"> • 51-1/2" panel • Cedar grain finish • Nominal .080" thick • 12 panels/ctn. and 1/2 sq./ctn. • CDSS Starter length 10' | <p>SPECIAL ORDER Per Carton</p> <p>White/Colors</p> <p>Starter per piece</p> |
|---|--|--|

| | | |
|---|--|-------------------------------|
|  | <p><u>Ovation 6 1/2" Beaded Panel: OVB65</u></p> <ul style="list-style-type: none"> • 12' 4" length and 6 1/2" wide panel • Woodgrain finish • Nominal .042" thick • 15 panels/sq and 2 sq./ctn. | <p>Per Panel</p> <p>White</p> |
|---|--|-------------------------------|

| | | |
|---|--|--|
|  <p>Not in Stock</p> | <p><u>Board + Batten: BB70</u></p> <ul style="list-style-type: none"> • 6- 1/2" Board with 1- 1/2" Batten • 10' length panel • Woodgrain finish • 17 pcs./sq. and 1 sq./ctn. | <p>SPECIAL ORDER Per Square</p> <p>White Light Colors Classic Colors Deep Colors</p> |
|---|--|--|



| | | |
|---------------------|---|---|
| | <p>Cedar Discovery Perfection Shingle: CD70P</p> <ul style="list-style-type: none"> • 67-3/4" D7 panel • Cedar grain finish • Nominal .080" thick • 8 panels/ctn. and 1/2 sq./ctn. • CDSS Starter length 10' | <p>SPECIAL ORDER Per Carton</p> <p>White/Colors Cedar Colors Starter</p> |
| | <p>Cedar Discovery Perfection Corner Post: CD700CP2</p> <ul style="list-style-type: none"> • Double 7" • Nominal .080" thick • Length: 29-1/8" • 10 Pcs./Ctn. • 12.30 Lbs./Ctn. | <p>SPECIAL ORDER Per Piece</p> <p>White/Colors Cedar Colors</p> |
| | <p>Cedar Discovery Perfection Shingle: CD50P2</p> <ul style="list-style-type: none"> • 69-1/2" T5 panel • Cedar grain finish • Nominal .090" thick • 7 panels/ctn. and .46 sq./ctn. • CDSS Starter length 10' | <p>SPECIAL ORDER Per Carton</p> <p>White/Colors Cedar Colors Starter</p> |
| <p>Not in Stock</p> | <p>Cedar Discovery Perfection Corner Post: CDP500CP</p> <ul style="list-style-type: none"> • Triple 5" • Nominal .080" thick • Length: 31" • 10 Pcs./Ctn. • 19.50 Lbs./Ctn. | <p>SPECIAL ORDER Per Piece</p> <p>White/Colors Cedar Colors</p> |
| <p>Not in Stock</p> | <p>Cedar Discovery Hand-Split Shake: CD95HS</p> <ul style="list-style-type: none"> • 67-3/4" panel • 64" exposed length • Nominal .080" thick • 6 panels/ctn. and 1/2 sq./ctn. • CDSS Starter length 10' | <p>SPECIAL ORDER Per Carton</p> <p>White/Color Cedar Colors Starter</p> <p>per piece</p> |
| | <p>Cedar Discovery Hand-Split Shake Corner Post: CDHSOCP</p> <ul style="list-style-type: none"> • Nominal .080" thick • Length: 38" • 10 Pcs./Ctn. • 13 Lbs./Ctn. | <p>SPECIAL ORDER Per Piece</p> <p>White/Colors Cedar Colors</p> |



| <u>Light Colors</u> | | <u>Classic Colors</u> | <u>Deep Colors</u> | |
|---------------------|----------------|-----------------------|--------------------|---------------|
| Almond | Sage | Everest | Vineyard Grove | Deep Granite |
| Cameo | Sandtone | Harbor Grey | Misty Shadow | Montana Suede |
| Classic Cream | Silver Gray | Pebblestone | Autumn Harvest | Quiet Willow |
| Colonial Yellow | Tuscan Olive | Scottish Thistle | English Wedgwood | Russet Red |
| Desert Sand | Victorian Gray | Corn Silk | Rugged Canyon | |
| Linen | Wicker | | | |

| | | |
|--|---|--|
| | <p>Universal Solid Soffit: UVS12N</p> <ul style="list-style-type: none"> • 12' length and triple 4" panel • Matte finish • Nominal .036" thick • 8 panels./sq. and 2 sq./ctn. | <p>Per Panel</p> <p>White</p> |
| | <p>Universal Center Vent Soffit: UVS12CV</p> <ul style="list-style-type: none"> • 12' length and triple 4" panel • Matte finish • Nominal .036" thick • 8 panels./sq. and 2 sq./ctn. | <p>Per Panel</p> <p>White</p> |
| | <p>Universal Vented Soffit: UVS12V</p> <ul style="list-style-type: none"> • 12' length and triple 4" panel • Matte finish • Nominal .036" thick • 8 panels./sq. and 2 sq./ctn. | <p>Per Panel</p> <p>White</p> |
| | <p>Pro-tech Solid Soffit: PTS12N</p> <ul style="list-style-type: none"> • 12' length and triple 4" panel • Matte finish • Nominal .040" thick • 8 panels./sq. and 2 sq./ctn. | <p>Per Panel</p> <p>Light Colors Classic Colors Musket Brown</p> |
| | <p>Pro-tech Vented Soffit: PTS12V</p> <ul style="list-style-type: none"> • 12' length and triple 4" panel • Matte finish • Nominal .040" thick • 8 panels./sq. and 2 sq./ctn. | <p>Per Panel</p> <p>Light Colors Classic Colors Musket Brown</p> |
| | <p>Pro-Bead Solid Soffit: PBS80N</p> <ul style="list-style-type: none"> • 12' 6" length and 8" panel • Matte finish • Nominal .040" thick • 12 panels./sq. and 2 sq./ctn. | <p>Per Panel</p> <p>White Colors</p> |



| | | |
|--|--|---|
| | <p><u>Pro-Bead Vented Soffit: PBS80V</u></p> <ul style="list-style-type: none"> • 12' 6" length and 8" panel • Matte finish • Nominal .040 thick • 12 panels./sq. and 2 sq./ctn | <p>Per Panel</p> <p>White Colors</p> |
| | <p><u>Ventura Hidden Vent Soffit: HVS10V</u></p> <ul style="list-style-type: none"> • Matte finish • Nominal .044" thick • 12' panel • 20 Pcs./Ctn. a.d 2 Sqs./Ctn. | <p>Per Panel</p> <p>White Colors Special Order</p> |
| | <p><u>Ventura Solid Soffit: HVS10N</u></p> <ul style="list-style-type: none"> • Matte finish • Nominal .044" thick • 12' panel • 20 Pcs./Ctn. a.d 2 Sqs./Ctn. | <p>Per Panel</p> <p>White Colors Special Order</p> |
| | <p><u>J-Channel - 1/2" with 3/4" Face: MVJ041</u></p> <ul style="list-style-type: none"> • Matte finish • Use with soffit • 12' 6" length • 40 pieces/ carton | <p>Per Piece</p> <p>White</p> |
| | <p><u>J-Channel - 5/8" with 1" Face: MVJ051</u></p> <ul style="list-style-type: none"> • Matte finish • Use with Carvedwood and Mill Creek siding • 12' 6" length • 40 pieces/ carton | <p>Per Piece</p> <p>Standard Colors Deep Colors Solar Defense</p> |
| | <p><u>J-channel - 7/8" with 1" Face: MVJ071</u></p> <ul style="list-style-type: none"> • Matte finish • Use with Quest siding • 12' 6" length • 40 pieces/ carton | <p>Per Piece</p> <p>Standard Colors Deep Colors</p> |
| | <p><u>Pro Bead J-Channel: PBSJ03</u></p> <ul style="list-style-type: none"> • Matte finish • Use with Pro-Bead Soffit • 12' 6" length • 24 Pcs./Ctn. | <p>Per Piece</p> <p>White</p> |
| | <p><u>Finish Trim: MFT</u></p> <ul style="list-style-type: none"> • Matte finish • 12' 6" length • 40 pieces/ carton | <p>Per Piece</p> <p>Standard Colors Deep Colors Solar Defense</p> |



| | | |
|---|--|---|
| | <p><u>Universal 4" Outside Post: AWOP06</u></p> <ul style="list-style-type: none"> • Woodgrain finish • 10' length • 10 pieces/ carton | <p>Per Piece</p> <p>Standard Colors Deep Colors Solar Defense</p> |
| | <p><u>Universal 3" Outside Post: W03CP06</u></p> <ul style="list-style-type: none"> • Woodgrain finish • 10' length • 10 pieces/ carton | <p>Per Piece</p> <p>White</p> |
| | <p><u>Inside Corner Post 3/4": MICP06</u></p> <ul style="list-style-type: none"> • Matte finish • 10' length • 10 pieces/ carton | <p>Per Piece</p> <p>Standard Colors Deep Colors Solar Defense</p> |
| | <p><u>Traditional 5-1/2" Outside Corner Post with Foam Insert: TFOP55</u></p> <ul style="list-style-type: none"> • Matte finish • 20' Length • 4 pieces/carton | <p>Per Piece</p> <p>White Colors</p> |
| | <p><u>Fluted 5-1/2" Outside Corner Post with Foam Insert: FFOP55</u></p> <ul style="list-style-type: none"> • Matte finish • 20' Length • 4 pieces/carton | <p>Per Piece</p> <p>White</p> |
| | <p><u>Lineal - 5": LIN5</u></p> <ul style="list-style-type: none"> • Matte finish • 20' Length • 10 pieces/carton | <p>Per Piece</p> <p>White Colors</p> |
| <p style="text-align: center;"><u>Colors</u></p> <p style="text-align: center;">Cameo Pebblestone Clay Desert Sand Wicker</p> | | |



| | | |
|--|--|--|
| | <p><u>Lineal - 3-1/2": LIN35</u></p> <ul style="list-style-type: none"> • Matte finish • 20' Length • 10 pieces/carton | <p>Per Piece</p> <p>White Colors</p> |
| | <p><u>New Construction</u> <u>Lineal Starter: WCNCSS</u></p> <ul style="list-style-type: none"> • 12' 6" Length • 40 pieces/carton | <p>Per Piece</p> <p>White</p> |
| | <p><u>Remodeling Lineal Starter: WCRSS</u></p> <ul style="list-style-type: none"> • 12' 6" Length • 40 Pieces/carton | <p>Per Piece</p> <p>White</p> |
| | <p><u>2-1/2" Wide Window Casing Trim - 3/4": WCT06</u></p> <ul style="list-style-type: none"> • Matte Finish • 12' 6" Length • 20 Pieces/carton | <p>Per Piece</p> <p>White</p> |
| | <p><u>F-Channel - 5/8": VFR05</u></p> <ul style="list-style-type: none"> • Matte finish • 12' 6" Length • 24 Pieces/carton | <p>Per Piece</p> <p>White</p> |
| | <p><u>F-Channel - 1/2": MFCH04</u></p> <ul style="list-style-type: none"> • Matte finish • 12' 6" Length • 40 Pieces/carton | <p>Per Piece</p> <p>White</p> |



| | | |
|----------------------------------|--|---|
| | <p><u>T-Channel - 5/8": MVTC05</u></p> <ul style="list-style-type: none"> • Matte finish • 12' 6" Length • 24 Pieces/carton | <p>Per Piece</p> <p>White</p> |
| | <p><u>Starter Strip</u></p> <ul style="list-style-type: none"> • Galvanized Steel or Aluminum • 4" wide x 10' length (steel) • 2-1/4" wide x 10'-6" length (aluminum) | <p>Per Piece</p> <p>Steel Starter Alum Starter</p> |
| <p>Flexible J-Channel</p> | <p><u>Flexible J Channel</u></p> <ul style="list-style-type: none"> • Matte Finish • 12' 6" length • White only | <p>Per Piece</p> <p>White</p> |
| <p>Bay Window Corner</p> | <p><u>Bay Corner</u></p> <ul style="list-style-type: none"> • Matte Finish • 10' length • White only | <p>Per Piece</p> <p>White</p> |
| | <p><u>Roofing Nails</u></p> <ul style="list-style-type: none"> • 1-1/2", 2", 2-1/2", 3" lengths | <p>Per Box</p> <p>1 lb. 5 lb. 30 lb. 50 lb.</p> |
| | <p><u>Furring Strip</u></p> <ul style="list-style-type: none"> • 1" x 3" x 10' • 100' per bundle | <p>Per Foot</p> <p>Furring</p> |



Versetta Stone™

THE VERSETTA STONE® SYSTEM



Universal Corner



Flat Panel



Wainscot Cap



Light Box



J-Channel



Starter Strip



Receptacle Box



Trim Stone

LEDGESTONE

The rugged texture and purposeful irregularity offer an exposed and well-worn look that suggests years in the elements.



Sterling



Graphite



Plum Creek



Terra Rose



Mission Point

TIGHT-CUT


The traditional look of quarried limestone fitted tightly together to emulate rural 19th century American architecture.



Graphite



Sterling





Mission Point



Plum Creek




Terra Rose





Versetta Stone™

| | | |
|---|---|--|
|  | <p align="center"><u>Universal Corner</u></p> <ul style="list-style-type: none"> • Ledgestone Corner Panel (2 pcs/bndl-4SF) • Tight Cut Corner Panel (2 pcs/bndl-4SF) | <p align="center">Per Bundle</p> <p>Ledgestone \$47.79 Plum Creek/Sterling</p> <p>Ledgestone \$54.00 Terra Rosa/Graphite/Mission Point</p> <p>Tight Cut - All Colors \$54.00</p> |
|  | <p align="center"><u>Flat Panel</u></p> <ul style="list-style-type: none"> • Ledgestone Flat Panel (2 pcs/bndl-4SF) • Tight Cut Flat Panel (2 pcs/bndl-4SF) | <p align="center">Per Bundle</p> <p>Ledgestone \$47.79 Plum Creek/Sterling</p> <p>Ledgestone \$54.00 Terra Rosa/Graphite/Mission Point</p> <p>Tight Cut - All Colors \$54.00</p> |
|  | <p align="center"><u>J-Channel</u></p> <ul style="list-style-type: none"> • 10' length | <p align="center">Per Piece</p> <p>Taupe \$20.66</p> |
|  | <p align="center"><u>Starter Strip</u></p> <ul style="list-style-type: none"> • 10' length | <p align="center">Per Piece</p> <p>Taupe \$20.66</p> |
|  | <p align="center"><u>Wainscot Cap</u></p> <ul style="list-style-type: none"> • 36" length | <p align="center">Per Piece</p> <p>Taupe \$37.19</p> |
|  | <p align="center"><u>Light Box</u></p> <ul style="list-style-type: none"> • 8" x 10" | <p align="center">Per Piece</p> <p>Taupe \$27.88</p> |
|  | <p align="center"><u>Receptacle Box</u></p> <ul style="list-style-type: none"> • 6" x 8" | <p align="center">Per Piece</p> <p>Taupe \$27.88</p> |



Regular Colors

Weathered Colors

Single 7" Shingle

\$247.50 SQ

N/A

7" Split Shake

\$247.50 SQ

\$272.50 SQ

7" Perfection Shingle

\$247.50 SQ

\$272.50 SQ

Stone Panel

\$297.50 SQ

N/A

Note all siding is 1 Sq. per ctn except 10" Staggered is 1/2 Sq./ctn

OS Corners (18.67 ft/ctn)

\$85.00 CTN

\$98.33 CTN

Stone Panel Corners (20 ft/ctn)

\$98.33 CTN

N/A

3/4 J Channel (176 ft/ctn)

\$127.50 CTN

1" J Channel for Staggered (176 ft/ctn)

\$138.00 CTN

1 1/4 J Channel for Stone (88 ft/ctn)

\$148.50 CTN

Note- OS Corners require 2 J- Channels

J Channels are 8' 9 1/2" long and can be UPS'd





(Ctn = 1/2SQ)

Rough Sawn Cedar Double 6 1/2"

| | |
|-----------------------|--------------|
| Regular & Dark Colors | \$132.50 ctn |
| Shaded Colors | \$184.38 ctn |
| Corners 26" | \$33.98 ea |

Cape Cod Perfection Triple 4 1/2"

| | |
|-------------|--------------|
| All Colors | \$149.38 ctn |
| Corners 27" | \$33.98 ea |

Hand Split Shake

| | |
|-----------------------|--------------|
| Regular & Dark Colors | \$159.38 ctn |
| Shaded Colors | \$185.00 ctn |
| Corners 18" | \$16.73 ea |

Stacked Stone

| | |
|-----------------|--------------|
| Premium Colors | \$301.25 ctn |
| Premium Corners | \$37.43 ea |

Brick

| | |
|-------------|--------------|
| All Colors | \$192.50 ctn |
| Corners 18" | \$21.30 ea |

Other Accessories

| | |
|-----------------------------|------------|
| 3/4" Matching J Channel | \$11.00 ea |
| 1 1/8" Matching J Channel | \$11.00 ea |
| Matching Corner Posts | \$35.25 ea |
| Starter Strip 10' (InStock) | \$10.25 ea |



Exteria's line of gorgeous and realistic cedar, brick, and stone replicas will make sure your project looks and functions at its best. Our products cover a long list of colors and styles while providing the most authentic and realistic grain available in replica cedar shake and stone siding.

All Special Order Material

No Returns On Any Open Cartons

15% Restock Fee On Returns Of Unopened Boxes

Trim Coil

| | | |
|---|---|--|
|  | <p>Mastic Premium Aluminum Trim Coil TS24</p> | <p>Per Roll</p> <p>White All Colors</p> |
| <p>Smooth Painted</p> |  | <ul style="list-style-type: none"> • Smooth Finish • 24" x 50' roll • .019" thickness |

| | | |
|--|---|--|
|  | <p>Mastic Aluminum Trim Coil S24</p> | <p>Per Roll</p> <p>White All Colors</p> |
| <p>Smooth Painted</p> |  | <ul style="list-style-type: none"> • Smooth Finish • 24" x 50' roll • .019" thickness |

| | | |
|---|---|--|
|  | <p>Berger Aluminum Trim Coil</p> | <p>Per Roll</p> <p>White \$77.99 Musket Brown \$77.99</p> |
| <p>Smooth Painted</p> |  | <ul style="list-style-type: none"> • Smooth Finish • 24" x 50' roll • .019" thickness |

| | | |
|---|---|--|
|  | <p>Berger Aluminum PVC Trim Coil</p> | <p>Per Roll</p> <p>White \$87.30 <i>Colors are special order</i></p> |
| <p>PVC Striated</p> |  | <ul style="list-style-type: none"> • PVC Textured Finish • 24" X 50' roll • .021" thickness |

| | | |
|---|---|--|
|  | <p>Trim Nails</p> | <p>Per Pound</p> <p>1 lb. Box \$7.16</p> |
| | <ul style="list-style-type: none"> • Stainless Steel • 1-1/4" length • Available in all colors | |

Insulation

SIDING
ACCESSORIES

| | | |
|---|---|---|
|  | <p><u>1/4", 1/2", 3/8" & 3/4" Polar Polystyrene Panfold</u></p> <ul style="list-style-type: none"> • 1/2" - 2.00 R-Value • 3/8" - 1.46 R-Value • 3/4" - 2.92 R-Value • 2' x 4' x 50' per bundle • 2 sq/bundle | <p>Per Square</p> <p>1/4" \$13.58/sq 3/8" \$15.75/sq 1/2" \$18.53/sq</p> |
|---|---|---|

| | | |
|---|---|---|
|  | <p><u>1/2" and 3/8" Polar High Density Fanfold</u></p> <ul style="list-style-type: none"> • 1/2" - 2.18 R-Value • 3/8" - 1.63 R-Value • 2' x 4' x 50' per bundle • 2 sq/bundle | <p>Per Square</p> <p>3/8" \$21.83/sq 1/2" \$24.83/sq</p> |
|---|---|---|

| | | |
|--|--|--|
|  | <p><u>Barricade Housewrap</u></p> <ul style="list-style-type: none"> • 9' x 100' roll • 9 sq/roll | <p>Per Roll</p> <p>\$72.25</p> |
|--|--|--|

| | | |
|---|--|---|
|  | <p><u>Tyvek Housewrap</u></p> <ul style="list-style-type: none"> • Housewrap 9' x 100' Roll • Housewrap 3' x 100' Roll • Tape 2" x 55' yards | <p>Per Roll</p> <p>Wrap \$150.53/roll Wrap \$54.00/roll Tape \$14.95</p> |
|---|--|---|


| | | |
|---|---|--|
|  | <p><u>Window Strip Insulation</u></p> <ul style="list-style-type: none"> • Fiberglass Strip Insulation • 1/2" x 3" x 100' roll | <p>Per Roll</p> <p>\$19.28</p> |
|---|---|--|

| | | |
|---|---|--|
|  | <p><u>Caulking & Silicone</u></p> <ul style="list-style-type: none"> • Caulk • Silicone NC Sealant • Available in white and clear • Clear & White Geocel | <p>Per Tube</p> <p>White \$5.97 Colors \$5.97 Silicone \$6.98 Geocel \$7.79</p> |
|---|---|--|

| | | |
|---|---|---|
|  | <p><u>Henry Wrap Super Stick BuildingTape</u></p> <ul style="list-style-type: none"> • 4" x 75' \$26.07 per roll • 6" x 75' \$39.11 per roll • 5 1/2" x 25' Threshold Tape \$34.90 per roll |  |
|---|---|---|



| | | |
|--|---|--|
| | <p align="center"><u>Electric Box</u></p> <ul style="list-style-type: none"> • Integrated electrical box • Available in all siding colors • Meets electrical code | <p align="center">Per Piece</p> <p>Regular Jumbo</p> |
| | <p align="center"><u>Surface Block</u></p> <ul style="list-style-type: none"> • Flush mount (no receiving channel) • White only • Use for retro-fit applications | <p align="center">Per Piece</p> |
| | <p align="center"><u>J-Block</u></p> <ul style="list-style-type: none"> • Standard J-Block mount • Available in all siding colors • Outlet shaped knockout | <p align="center">Per Piece</p> |
| | <p align="center"><u>Large J-Block</u></p> <ul style="list-style-type: none"> • Standard coach-type mount • Available in all siding colors • Outlet-shaped knockout | <p align="center">Per Piece</p> |
| | <p align="center"><u>Meter Base J-Block</u></p> <ul style="list-style-type: none"> • Large J-Block type mount • 15 1/2" x 16 1/2" • One piece construction • Use for electrical meters • Stocked in white only | <p align="center">Per Piece</p> |

Split Recessed J-Block

- Recessed split-mount
- Available in all siding colors
- Use for faucets or recessed outlets

Per Piece

Jumbo Meterbase

- 18"x24"
- Stocked in white only

Per Piece

Super Jumbo J Block

- Stocked in white only

Per Piece

4" Hooded or Louvered Dryer Vent

- Dryer vent
- Available in all siding colors
- 4" metal tubes included

Per Piece

Intake/Exhaust Vent

- Full fiberglass screening
- White only
- (Not for use as a dryer or furnace vent.)

Per Piece

MA MID-AMERICA

Siding Components®

SIDING
ACCESSORIES

Rectangle Louvers

- 30,42 & 88 sq. in. vent area
- Subtract 4" for rough opening size
- Available in all siding colors
- 12"x12", 18"x24", 12"x18", 24"x30"

Per Piece

| | |
|---------|---------|
| 12"x12" | \$26.42 |
| 12"x18" | \$34.37 |
| 18"x24" | \$42.35 |
| 24"x30" | \$74.40 |
| Dark - | |
| 24"x30" | \$96.81 |



22"x32" Round Top Vent

- 70 sq. in. vent area
- Available in white
- Colors available through special order

Per Piece

| | |
|---------|---------|
| 22"x32" | \$69.45 |
|---------|---------|



34"x 22" Half Round Vent

- 100 sq. in. vent area
- 22.1" x 34.2" outside diameter
- Available in white
- Colors available through special order

Per Piece

| | |
|---------|---------|
| 34"x22" | \$71.97 |
|---------|---------|



22" Round Vent

- 50 sq. in. vent area
- 22" diameter
- Available in white
- Colors available through special order

Per Piece

| | |
|-----|---------|
| 22" | \$58.41 |
|-----|---------|



22" Octagon Vent

- Outside diameter 22"
- 54 sq. in. vent area
- Available in white
- Colors available through special order


Per Piece

| | |
|-----|---------|
| 22" | \$58.41 |
|-----|---------|


MA MID-AMERICA Siding Components®

6" & 9" Window Headers


- Flat Panel and Classic Dentil Profiles.
- Solid, one piece construction.
- Keystone shipped with the header for optional application.
- Can be cut in center for special sizing in the field. Keystone would be used to cover cut.
- Custom sizes available.



| | Top Width | Bottom Width | Top Depth | Bottom Depth | Price |
|----------------------|-----------|--------------|-----------|--------------|----------|
| 6x33-5/8 Flat Header | 36-1/2" | 33-5/8" | 2-11/16" | 1-1/4" | \$41.36 |
| 6x37-5/8 Flat Header | 40-1/2" | 37-5/8" | 2-11/16" | 1-1/4" | \$45.29 |
| 6x43-5/8 Flat Header | 46-1/2" | 43-5/8" | 2-11/16" | 1-1/4" | \$48.03 |
| 6x65-5/8 Flat Header | 68-1/2" | 65-5/8" | 2-11/16" | 1-1/4" | \$79.65 |
| 6x73-5/8 Flat Header | 76-1/2" | 73-5/8" | 2-11/16" | 1-1/4" | \$81.84 |
| 9x33-5/8 Flat Header | 37-7/8" | 33-5/8" | 3-3/4" | 1-5/8" | \$60.56 |
| 9x37-5/8 Flat Header | 41-7/8" | 37-5/8" | 3-3/4" | 1-5/8" | \$68.21 |
| 9x43-5/8 Flat Header | 47-7/8" | 43-5/8" | 3-3/4" | 1-5/8" | \$73.11 |
| 9x65-5/8 Flat Header | 69-7/8" | 65-5/8" | 3-3/4" | 1-5/8" | \$107.48 |
| 9x73-5/8 Flat Header | 77-7/8" | 73-5/8" | 3-3/4" | 1-5/8" | \$122.22 |



Flat Panel, cut in center, not welded.




Classic Dentil, cut in center, not welded.

MA MID-AMERICA
Siding Components®

96" Pilaster Kits

- For use with both 6" and 9" Headers.
- Pilaster dimensions: 96" x 6-7/8" x 1-7/8"
- Accommodates extra tall openings up to 8' 6"
- Note: Headers with welded-on End Caps require modification in the field to fit flush with the Pilaster.

96" Pilaster





Trim Solutions, LLC

Moulding the Future™

Custom Window Surrounds

SIDING
ACCESSORIES



- Custom sizes
- 2" standard sill
- Dental Molding Available
- Keystones Available
- Routed edge for vinyl siding
- Radius and elliptical top available
- Window nailing flange
- Mantles have removable strip for hidden fastening
- 2-4 week delivery

Standards

Flat Casing
5/4 x 4

With 6" or 8" Mantle
5/4 x 4 with 6"

Custom Door Surrounds



Entry Systems include the exclusive Continuous Flange System that eliminates surface fastening. A built-in J channel is also available.

Pilaster cap and base are shipped unattached for hidden fastening.



Pilaster Styles

Plain 7x90
Fluted 7x108

Door Mantle Styles

10" Mantle
10" Mantle with dentil moulding

The crown mouldings utilized are authentic. Features like keystones, barrel ceiling arches, arch garage door mantles and more can be easily custom ordered.



Trim Solutions, LLC

Moulding the Future™

Custom Mantels



Trim Solutions' mantels feature a 1-piece seamless cap, an angled cap for water run-off, predrilled installation holes and supplied stainless steel fasteners and glue.

Mantels are available in increments of 6" and 8" heights. Custom sizes by request.

Mantel Styles/Options

- Bottom strip
- Keystone
- Dentil strip
- 3-5/8" crown
- 4-5/8" crown

Custom millwork and bending services also available.

Custom Corner Posts and Columns



Posts and columns feature a hidden Continuous Flange System, welded construction and unattached cap and base for hidden fastening.

We offer custom widths and heights, authentic crown moulding profiles and the #1 cellular PVC made today.

Custom designs available by request.



| PVC Trim Board | |
|--|----------|
| Size | Price |
| 1"x4"x18' | \$24.52 |
| 1"x6"x18' | \$38.62 |
| 1"x8"x18' | \$50.79 |
| 1"x10"x18' | \$64.80 |
| 1"x12"x18' | \$78.79 |
| 5/4"x4"x20' | \$36.42 |
| 5/4"x6"x20' | \$57.23 |
| 5/4"x8"x20' | \$75.45 |
| 5/4"x12"x20' | \$117.06 |
| All Available in White (Smooth on Both Sides) | |


| Thickness | Length | Nominal Width (Actual Width) | | | | | | | |
|-----------|---------------------------|------------------------------|----------|---------|---------|----------|----------|-----------|-----------|
| | | 3 | 4 | 5 | 6 | 8 | 10 | 12 | 16 |
| 5/4 | 8', 12', 16', 18', 20' | (2-1/2") | (3-1/2") | (4-1/2) | (5-1/2) | (7-1/2") | (9-1/2") | (11-1/4") | (15-1/4") |




KLEERfold™ is a single piece of Klear that is folded and laminated to produce a board with three finished sides. It is not for use in milling applications. KlearFold is available in the following nominal and (actual) sizes: 2" (1-1/2") x 4" (3-1/2") x 18' or 2" (1-1/2") x 6" (5-1/2") x 18'.



Girardin Moulding, Inc.



Louver Style



Cathedral Style



Panel Style

Black

Red

Wedgewood Blue

Burgundy

White

Hunter Green

Charcoal

Midnight Blue

Musket Brown

Dark Green

Almond

Brown


| Width | Style | Height | | | | | | | | | | |
|-------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | 23" | 27" | 31" | 35" | 37" | 39" | 41" | 43" | 45" | 47" | 49" |
| 6" | Louver | \$37.38 | \$38.71 | \$40.16 | \$41.28 | \$43.22 | \$43.22 | \$44.98 | \$44.98 | \$48.88 | \$48.88 | \$50.22 |
| 8" | Louver | \$37.38 | \$38.71 | \$40.16 | \$41.28 | \$43.22 | \$43.22 | \$44.98 | \$44.98 | \$48.88 | \$48.88 | \$50.22 |
| 10" | Cathedral | \$41.10 | \$42.58 | \$44.24 | \$45.58 | \$47.62 | \$47.62 | \$49.66 | \$49.66 | \$54.08 | \$54.08 | \$55.65 |
| 10" | Louver | \$37.38 | \$38.71 | \$40.16 | \$41.28 | \$43.22 | \$43.22 | \$44.98 | \$44.98 | \$48.88 | \$48.88 | \$50.22 |
| 10" | Panel | \$41.10 | \$42.58 | \$44.24 | \$45.58 | - | \$47.62 | - | \$49.66 | - | \$54.08 | \$55.65 |
| 12" | Cathedral | \$41.10 | \$42.58 | \$44.24 | \$45.58 | \$47.62 | \$47.62 | \$49.66 | \$49.66 | \$54.08 | \$54.08 | \$55.65 |
| 12" | Louver | \$37.38 | \$38.71 | \$40.16 | \$41.28 | \$43.22 | \$43.22 | \$44.98 | \$44.98 | \$48.88 | \$48.88 | \$50.22 |
| 14" | Cathedral | \$35.87 | \$37.35 | \$38.98 | \$40.31 | \$42.40 | \$42.40 | \$44.41 | \$44.41 | \$48.86 | \$48.86 | \$50.41 |
| 14" | Louver | \$32.04 | \$33.36 | \$34.79 | \$35.98 | \$37.87 | \$37.87 | \$39.64 | \$39.64 | \$43.59 | \$43.59 | \$45.01 |
| 14" | Panel | \$35.87 | \$37.35 | \$38.98 | \$40.31 | - | \$42.40 | \$44.41 | \$44.41 | - | \$48.86 | \$50.41 |
| 18" | Cathedral | \$51.96 | \$53.85 | \$55.97 | \$60.21 | \$61.77 | \$61.77 | \$64.53 | \$64.53 | \$67.40 | \$67.40 | \$70.05 |
| 18" | Louver | \$46.38 | \$48.27 | \$50.34 | \$54.59 | \$56.53 | \$56.53 | \$57.71 | \$59.30 | \$61.02 | \$62.15 | \$64.13 |

| Width | Style | Height | | | | | | | | | | |
|-------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|
| | | 51" | 53" | 55" | 57" | 59" | 61" | 63" | 67" | 71" | 75" | 81" |
| 6" | Louver | \$50.79 | \$52.86 | \$53.86 | \$55.95 | \$56.36 | \$56.92 | \$59.80 | \$63.18 | \$66.06 | \$69.97 | \$72.27 |
| 8" | Louver | \$50.79 | \$52.86 | \$53.86 | \$55.95 | \$56.86 | \$56.92 | \$59.80 | \$63.18 | \$66.06 | \$69.97 | \$72.27 |
| 10" | Cathedral | \$56.21 | \$58.58 | \$59.73 | \$62.02 | \$63.04 | \$64.79 | \$66.37 | \$70.11 | \$73.40 | \$77.84 | \$80.26 |
| 10" | Louver | \$50.79 | \$52.86 | \$53.86 | \$55.92 | \$56.86 | \$56.92 | \$59.80 | \$63.18 | \$66.06 | \$69.97 | \$72.27 |
| 10" | Panel | \$56.21 | \$58.58 | \$59.73 | \$62.02 | \$63.04 | \$64.79 | \$66.37 | \$70.11 | \$73.40 | \$77.84 | \$80.26 |
| 12" | Cathedral | \$56.21 | \$58.58 | \$59.73 | \$62.02 | \$63.04 | \$64.79 | \$66.37 | \$70.11 | \$73.40 | \$77.84 | \$80.26 |
| 12" | Louver | \$50.79 | \$52.86 | \$53.86 | \$55.95 | \$56.86 | \$56.92 | \$59.80 | \$63.18 | \$66.06 | \$69.97 | \$72.27 |
| 14" | Cathedral | \$50.97 | \$53.36 | \$54.46 | \$56.78 | \$57.81 | \$59.55 | \$61.09 | \$64.86 | \$68.18 | \$72.72 | \$75.13 |
| 14" | Louver | \$45.55 | \$47.61 | \$48.61 | \$50.75 | \$52.45 | \$53.74 | \$54.51 | \$56.27 | \$60.86 | \$64.87 | \$67.10 |
| 14" | Panel | \$50.97 | \$53.36 | \$54.46 | \$56.78 | \$57.81 | \$59.55 | \$61.09 | \$64.86 | \$68.18 | \$72.72 | \$75.13 |
| 18" | Cathedral | \$70.05 | \$74.58 | \$74.58 | \$78.99 | \$80.28 | \$83.30 | \$84.53 | \$89.49 | \$93.71 | \$99.48 | \$100.80 |
| 18" | Louver | \$64.82 | \$67.84 | \$68.94 | \$72.29 | \$73.52 | \$76.10 | \$75.87 | \$82.19 | \$86.71 | \$91.55 | \$93.73 |


**Everlast
Roofing, Inc.**
OUR NAME SAYS IT ALL

Everseam[®]

High Quality Everlast Panel Profile




ROOFING




- Clean Appearance
- Long Lasting
- Elegant Look
- Versatile



1 Square = 61.54 Lineal Feet



Everseam®



Optional minor ribs or striation are available upon request. See back page for profile cross sections.

Note: Oil canning is not a cause for rejection. Optional minor ribs or striations minimize oil canning.

| | Warranty | Weight Per LF | LF Square | Square |
|----------------------------------|-----------|---------------|-----------|----------|
| 24 Ga. E-Seam 20" Painted Trinar | 35 Years* | 2.00# | \$4.32 | \$268.00 |

* Please refer to Everlast Roofing Inc.'s warranty details.

Acryzinc and Acrylume are registered trademarks of US Steel Corporation.

Availability: Readily available in Everseam®, Everloc®, coils and flat sheets in the following gauges and colors:



| | 24 Gauge | 24 Gauge |
|--------------------------|-------------------------------------|-------------------------------------|
| | 23.875" | 48" |
| Matte Black | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Forest Green | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Dark Gray | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Burgundy | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Gallery Blue | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Burnished Slate | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Colonial Red | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Mansard Brown | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Acrylic Coated Galvalume | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |

| Test Method | Test Results with Trinar® Colors |
|------------------------|---|
| Mandrel | No evidence of cracking, no loss of adhesion to the point of metal rupture. |
| Humidity | No blistering, cracking, peeling, loss of gloss or corrosion. |
| Film Hardness | Pencil Hardness is minimum. |
| Gloss | Gloss was found to be 30 or less on a 60 degree geometry. |
| Falling Sand | Total sand = 60 liters. |
| Adhesion | No coating was removed by scotch tape on the tested area. |
| Chemical Spot Test | No visible changes, color bleaching, color change or blistering. |
| Accelerated Weathering | No cracking, peeling, blistering, loss of adhesion of the protective coating, or corrosion of the base metal. |

TRADEMARKS:

Trinar is a registered trademark of Akzo Nobel Coatings Inc.
 Hylar is a registered trademark of Solvay Selexis, Inc.
 Kynar 500 is a registered trademark of Atochem of North America, Inc.
 Teflon is a registered trademark of DuPont.
 Everseam is a registered trademark of Everlast Roofing, Inc.
 Everloc is a registered trademark of Everlast Roofing, Inc.

Everlast II

The Next Generation of Metal Roofing

ROOFING



- *Attractive Design*
- *Long Lasting*
- *Superior Strength*



EVERLAST II METAL ROOFING

The symmetrical pattern of Everlast II® creates an attractive board and batten look which is a popular choice for a variety of building applications. The crisp, clean appearance along with the variety of color options available make it the perfect roofing and siding material for architectural, agricultural, industrial, commercial, and residential buildings. A full line of trims and accessories are available to complete your building project.

-Laps Better

Weathertight Sidelap - The panels which interlock to create the attractive look of the bell top also provide for the weathertight seal. They have a deep anti siphon groove which protects against leakage.

-Stronger Design & Heavier Steel

Superior Strength - Everlast II® is 38" wide and provides 36" of coverage. The major ribs are 9" apart and approximately 3/4" high with two minor ribs in between that are a full 3/16" high. A stiffener is added to all major ribs which along with the superior thickness of the steel makes this panel extremely strong. This not only adds considerable durability to your building but also prevents rippling during the construction process.

-Enhanced Primer

- Insures better corrosion resistance.
- Increases paint durability.
- Increases paint adhesion.
- Provides greater salt spray resistance.
- Provides superior edge corrosion resistance.
- Full Hard Steel is 95,000 minimum


Everlast always manufactures its Everlast II® metal roofing and siding at high temperatures. This helps to prevent the microscopic cracking of the paint at the bends.

-Heat Forming™

Why Everlast Heat Forms? Cracks allow moisture, which is often contaminated by atmospheric pollutants, to penetrate the protective surface of the coating, and cause the substrate to rust or corrode.


-Harder Paints

Heat formed™ hard paints provide a durable and quality finish. Other manufacturers form hard paints at room temperature which causes the paint to microscopically crack. It is at these cracks that the metal breaks down and deteriorates.




| Colors | | | | | Everlast II 3' Panels | |
|--------|----------|-------------|----------|-------------|-----------------------|--------------------|
| Slate | Burgundy | Brite White | Ash Gray | Charcoal | Series | |
| Black | Bronze | Brown | Tan | Light Stone | Traditional | |
| Beige | Clay | Ivy | Red | Ocean Blue | | |
| | | | | | Series | \$/Lineal ft |
| | | | | | Kynar Finish | \$3.23 |
| | | | | | | (35 Year Warranty) |


Everlast II Metal Roofing Accessories



13" Univ Ridge




Residential Rake




Gable Trim



Formed Valley




Res Gable Trim




13" Univ Sidewall


| Item | Length | Finish | Price |
|--|--------|---------|---------|
| 13" Univ Ridge #01A | 106" | Painted | \$22.50 |
| Residential Rake #18 | 102" | Painted | \$17.19 |
| | 126" | Painted | \$21.15 |
| | 146" | Painted | \$24.53 |
| | 166" | Painted | \$27.95 |
| Gable Trim #05 | 102" | Painted | \$24.26 |
| | 126" | Painted | \$29.84 |
| | 166" | Painted | \$39.38 |
| Formed Valley #19 | 102" | Painted | \$33.66 |
| AG4 Gable Trim #91 | 102" | Painted | \$19.62 |
| | 126" | Painted | \$24.12 |
| | 146" | Painted | \$27.99 |
| | 166" | Painted | \$31.86 |
| Univ Sidewall #08 | 102" | Painted | \$16.11 |
| Drip Edge #60 | 102" | Painted | \$15.30 |
| Gutter Apron #29 | 102" | Painted | \$10.58 |
| Univ Endwall #11 | 102" | Painted | \$17.28 |
| Lap Tape | 45' | Grey | \$4.60 |
| Valley Closure | 19.68' | Black | \$19.38 |
| #10 Woodscrews w/1/4" Hex Head 250/Bag | 1" | Painted | \$22.81 |
| | 1-1/2" | | \$25.76 |
| | 2" | | \$30.87 |
| | 2-1/2" | | \$36.80 |
| | 3" | | \$47.32 |
| Inside Closure | 38" | Foam | \$1.19 |
| Outside Closure | 38" | Foam | \$1.19 |




Drip Edge



Gutter Apron




Univ Endwall



Outside Closure

Inside Closure



Lap Tape

Valley Closure



#10 Woodscrews
Available in matching
Everlast II Metal Roofing
colors.
90- 100 Screws per sq.



Mat. Size 1/4"x3/4"
Expan. Size 1"x3/4"

Signature PLATINUM SHINGLE *Series*

LIFETIME
STORMMASTER® SLATE

HIGH WIND AND IMPACT RESISTANT SHINGLE

Featuring



**THE COLOR
OF CLEAN**



www.ATLASROOFING.com



CLEAN IS BUILT INTO EVERY ROOF

PINNACLE® HP



PRISTINE HIGH PERFORMANCE ARCHITECTURAL SHINGLE



Pinnacle HP shingles are manufactured using the latest in algae-resistant technology, so you will never need to worry about streaking again—ever.

Pinnacle HP shingles featuring Scotchgard™ Protector is the best assurance of built-in long-term algae and stain resistance. The shingle color you choose is the color you'll keep.

When black algae streaks take over, it not only looks terrible, it also makes your house appear old and dirty, and reduces the curb appeal and value of your home.




Typical Algae Stained Roof

Look around at the roofs in your neighborhood. See anything like this? Since algae spores are carried by the wind, even if you don't have this problem now, you soon


could. Algae Streaking is a problem almost everywhere in the U.S. ... Except on an Atlas Roof featuring Scotchgard™ Protector.

The Science of Algae Prevention

Copper Stops Algae. Copper-fortified granules are uniformly distributed across the surface of Pinnacle HP shingles. Independent third-party laboratory tests ensure optimal and consistent copper content, resulting in an algae resistant shingle qualified to earn the Scotchgard™ name.



ROOFING



| | | |
|--|-------|--------------|
| ATLAS Pinnacle Shingles | | \$89.95/sq. |
| ATLAS Stormmaster Shingles (Shake or Slate) | | \$120.00/sq. |
| ATLAS Hip & Ridge | 31 lf | \$56.25 |
| ATLAS 10x Starter | 78 lf | \$34.47 |
| ATLAS Summit 60 Synthetic Underlayment | 10 sq | \$76.75/roll |
| ATLAS Ice & Water | 2 sq | \$48.00/roll |



Roofing Felt

- 15 lb. - 36" wide, 432 sq. ft. per roll
- 30 lb. - 36" wide, 216 sq. ft. per roll

| <u>Per Roll</u> | |
|-----------------|---------|
| 15 lb. | \$22.18 |
| 30 lb. | \$22.18 |



Atlas Weathermaster 200 (Ice & Water)

- Self adhering
- 65' roll (2 sq.)

| <u>Per Roll</u> | |
|-----------------|---------|
| | \$48.00 |



Ridge Vent

- 20' Air Vent Roll Vent
- 50' Air Vent Roll Vent
- 25' Shark Vent w/ Filter

| <u>Per Roll</u> | | |
|-----------------|-----|---------|
| Cougar | 20' | \$29.19 |
| Cougar | 50' | \$73.13 |
| Shark | 25' | \$58.82 |



Vent Pipe Flashing (Boot)

- Aluminum w/ rubber gasket
- Sizes from 1-1/2" to 4"

| <u>Per Piece</u> | |
|------------------|--------|
| 1-1/2" - 3" | \$6.91 |
| 2" only | \$7.39 |
| 3" - 4" | \$8.56 |



Cap Master

- Protects and waterproofs critical flash areas prone to leaking.
- Adapts to all roof pitches from 3-12 to 12-12

| <u>Per Piece</u> | |
|------------------|---------|
| | \$16.00 |



Flashing

- Step or roll available
- Copper or aluminum
- Step flashing 6" x 8"
- Rolls are 14" wide


Call for pricing



Drip Edge

- F5-1/2 & F8 available
- White or brown
- 10' length

| <u>Per Piece</u> | |
|------------------|--------|
| F5-1/2 | \$5.19 |
| F8 | \$7.27 |



Rake Edge

- C3 & C4-1/2 available
- White or brown
- 10' length

| <u>Per Piece</u> | |
|------------------|--------|
| C3 | \$4.13 |
| C4-1/2 | \$5.18 |



Concrete & Crack Sealer (CS-150)

\$3.52 per tube

Geocel Clear

\$7.79 per tube

- 10.2 oz. tubes

Karnak Wet/Dri Roof Flashing Cement

\$3.15 per tube



TAMKO
ROOFING PRODUCTS

HERITAGE
LAMINATED ASPHALT SHINGLES

HERITAGE
Premium
LAMINATED ASPHALT SHINGLES

Express your style and showcase the beauty of your home with the rustic hues and bold textures of Heritage® Series Laminated Asphalt Shingles.

Heritage 30 year Roofing \$82.00/sq.

In Stock: Weathered Wood, Old English Pewter,
Rustic Cedar, Virginia Slate, Rustic Black

| | |
|--|-------------|
| Hip & Ridge (33 ft) | \$51.00/bdl |
| 10" Starter (102 LF) | \$35.00/bdl |
| Low Slope Self Adhesive Base Sheet (2 sq) | \$93.00/rl |
| Low Slope Self Adhesive Cap Sheet (1 sq) | \$89.00/rl |
| TW Metal and Tile Underlayment (2sq) | \$100.00/rl |

Heritage Premium Roofing 50 yr: \$118.00/sq
(Wood Shake)**Colors** *Special Order

| | |
|--------------------|-------------------|
| *Statetone Grey | |
| Weathered Wood | *Rustic Slate |
| Olde English | *Rustic Evergreen |
| Rustic Cedar | *Rustic Redwood |
| Virginia Slate | *Autumn Brown |
| Rustic Black | *Aged Wood |
| *Natural Timber | *Oxford Grey |
| *Thunderstorm Grey | *Black Walnut |



GUTTERS



Leader Pipe

- 10' length
- .024 guage
- 2"x3" or 3"x4" available
- White or Brown


| <u>Per Piece</u> | |
|------------------|---------|
| 2"x3" | \$16.54 |
| 3"x4" | \$19.85 |



Elbow ('A' Style)

- 'A' style
- 2"x3" or 3"x4" available
- White or Brown

| <u>Per Piece</u> | |
|------------------|--------|
| 2"x3" | \$2.61 |
| 3"x4" | \$4.37 |



Elbow ('B' Style)

- 'B' style
- 2"x3" or 3"x4"
- White or Brown


| <u>Per Piece</u> | |
|------------------|--------|
| 2"x3" | \$2.49 |
| 3"x4" | \$4.16 |



Endcaps

- Rivet on style
- White or Brown
- Aluminum


| <u>Per Piece</u> | |
|------------------|--------|
| Endcaps | \$2.46 |



Outlets

- Drop in or Rivet style
- 2"x3" or 3"x4" available
- Aluminum

| <u>Per Piece</u> | |
|------------------|--------|
| 2"x3" | \$1.73 |
| 3"x4" | \$2.05 |



Mitres

- Bay, Strip, or Box styles
- Inside or Outside
- White or Brown

| <u>Per Piece</u> | |
|------------------|--------|
| Bay | \$5.96 |
| Strip | \$3.46 |
| Box | \$7.29 |

| | |
|------------------|-------------|
| Screw Hangers | \$1.12 each |
| Roof Hangers | \$5.28 each |
| 3" Leader Straps | \$1.42 each |
| 4" Leader Straps | \$1.52 each |

| | |
|----------------------|--------------|
| Downspout Cleats | \$1.00 each |
| Gutter Seal | \$11.50/tube |
| Pop Rivets (100 per) | \$4.75/bag |

Other accessories available, call Valley & Aetna Building Products for details.



Painted Aluminium K-Style Gutter System

- Available lengths: 16', 21', 26', 32', 37', 40'
- Nominal .032" thick
- White or Brown

Price Per Piece

| | |
|-----|----------|
| 16' | \$42.84 |
| 21' | \$56.23 |
| 26' | \$69.62 |
| 32' | \$85.68 |
| 37' | \$99.07 |
| 40' | \$107.10 |

Half-Round Gutter



K-Style Gutter



Copper Gutter Systems and Accessories

IN STOCK

*Call Valley & Aetna
Building Products for prices.*





GUTTERS



Leaf Relief's patented design allows water to flow freely while debris is lifted away from gutters with a gentle breeze. Independent testing proves Leaf Relief is 100% effective against leaves, twigs, pine needles and small debris.

Leaf Relief handles up to 29.7 inches of rainfall per hour. That's almost 3 times the official world record (Kilauea, Hawaii at 12 inches per hour).

Leaf Relief is not only the most effective gutter protection system on the market, it is also the most invisible. Leaf Relief lays flat and fits snugly on top of your gutter.

- **Virtually Eliminates Maintenance**

Solid aluminum construction. No rusting. No distortion. No painting.

- **Completely Weather & Pest Resistant**

Mounts securely and stays firmly in place to resist high winds, heavy amounts of snow and ice, ladder damage and pest invasion.

- **Fits Standard Gutters**

Available in 5" and 6" sizes to fit new and existing gutters.


- **Simple Installation**

Mounts directly to gutter. No lifting shingles... which may cause other repair headaches or void your roof warranty!

- **Keeps Water Flowing**


Patented Aluma-Perf technology keeps leaves, needles, seeds and twigs out... and off... with a gentle breeze.

| | |
|-------------------------------------|-----------------|
| 5" New Const - 7' 6" | \$16.85/pc |
| 5" Retrofit - 10' | \$24.26/pc |
| 5" Retrofit Z - 10' | \$25.46/pc |
| Inside Corner | \$5.72 |
| Outside Corner | \$5.51 |
| Valley Water Diverter | \$2.84 |
| #6 x 3/8" SS Screws (Retro) | \$6.25 per 100 |
| #9 x 1-1/2" Hex Screw w/Gasket (NC) | \$16.33 per 100 |



Vintage Collection®

1 Dark Hickory 2 Cypress® 3 Mahogany




Arbor Collection®

1 Hazelwood® 2 Acacia® 3 Morado®
4 Silver Oak® 5 Mountain Redwood®
6 Brazilian Walnut




Harvest Collection®

1 Kona® 2 Slate Gray 3 Brownstone
4 Island Oak™ 5 Autumn Chestnut®



| DECK PRODUCTS | SQUARE SHOULDER LENGTHS | | | GROOVED LENGTHS | | | FASCIA 1/2"x11 3/4" |
|---|-------------------------|-----|-----|-----------------|-----|-----|------------------------|
| | 12' | 16' | 20' | 12' | 16' | 20' | |
| All Porch Boards 1" x 5 1/2" | 12' | 16' | 20' | 12' | 16' | 20' | 12' |
| HARVEST COLLECTION Kona | ★ | ★ | ★ | | | | ★ |
| HARVEST COLLECTION Brownstone, Slate Gray | ★ | ★ | ★ | ★ | ★ | ★ | ★ |
| HARVEST COLLECTION Island Oak, Autumn Chestnut | | ★ | ★ | ★ | ★ | ★ | ★ |
| ARBOR COLLECTION Silver Oak, Hazelwood, Acacia, Morado, Brazilian Walnut, Mountain Redwood | | ★ | ★ | ★ | ★ | ★ | ★ |
| VINTAGE COLLECTION Dark Hickory, Cypress, Mahogany | | ★ | ★ | ★ | ★ | ★ | ★ |





DECKING & ACCESSORIES



Brownstone



Slate Gray



Morado[®]



Silver Oak[®]



Oyster[®]



| PORCH PRODUCTS | LENGTHS | | |
|------------------------------|---------|-----|-----|
| | 10' | 12' | 16' |
| All Porch Boards 1" x 3 1/8" | | | |
| Brownstone | • | • | • |
| Slate Gray | • | • | • |
| Oyster | | • | • |
| Morado | | • | • |
| Silver Oak | | • | • |

Rim Joist Covers

| Color | Size |
|--------------|------------------|
| Brownstone | 1/2"x11-3/4"x12' |
| Slate Gray | 1/2"x11-3/4"x12' |
| Kona | 1/2"x11-3/4"x12' |
| Sedona | 1/2"x11-3/4"x12' |
| Tahoe | 1/2"x11-3/4"x12' |
| Acacia | 1/2"x11-3/4"x12' |
| Silver Oak | 1/2"x11-3/4"x12' |
| Morado | 1/2"x11-3/4"x12' |
| Redland Rose | 1/2"x11-3/4"x12' |





Timbertech Terrain

SANDY BIRCH

STONE ASH

RUSTIC ELM



DECKING & ACCESSORIES

Terrain - Grooved Hollowback In Stock

| <u>Color</u> | <u>Size</u> |
|--------------|-------------|
| Rustic Elm | 5/4x6x12' |
| | 5/4x6x16' |
| | 5/4x6x20' |
| Stone Ash | 5/4x6x12' |
| | 5/4x6x16' |
| | 5/4x6x20' |
| Sandy Birch | 5/4x6x12' |
| | 5/4x6x16' |
| | 5/4x6x20' |

Terrain - Square Edge Not Stocked

Square Edge & Grooved Available

- Earthwood Evolutions - Hollow Back
Brown Oak & Silver Maple
Sandy Birch, Rustic Elm, Stone Ash
- Earthwood Evolutions - Full Profile
- Tropical Collection
- Legacy Collection
- Reliaboard
- Radiance Rail Kit 6' White
- Radiance Rail Kit 8' White
- 5x5x42" Post Sleeve White
- 5x5 Post Cap White
- 5x5 Post Skirt White



Fasteners for use with Azek Products

DECKING & ACCESSORIES




SET SCREW

SET PLUG

FastenMaster.

Cortex
CONCEALED FASTENING SYSTEM



Free Bit Included in Every Box

Available for Brownstone, Clay, Fawn, Ivory, Kona, Slate Gray, Sedona, Mavado, Tahoia, Redland Rose, Acacia, Silver Oak, Cobre, and White Decking

Cortex Screws with Plugs

| Color | Size | Price |
|-----------|-------------|-----------|
| White | 50 sq. ft. | \$22.90* |
| | 250 sq. ft. | \$92.87* |
| | 750 sq. ft. | \$256.37* |
| Colors | 100 sq. ft. | \$76.00 |
| | 300 sq. ft. | \$214.25 |
| Concealoc | 100 sq. ft. | \$114.39 |

For Use on Azek Trimboards & Decking



| Item | Price |
|--|---------|
| Camo Marksman Pro-X1 Tool | \$64.95 |
| 1-7/8 Trimhead Camo Screws 100 count = 25 sq. ft. | \$11.95 |
| 1-7/8 Trimhead Camo Screws 350 count = 100 sq. ft. | \$29.95 |
| 1-7/8 Trimhead Camo Screws 700 count = 200 sq. ft. | \$49.95 |

*Currently In Stock



Classic Rail

- Vinyl construction for long-lasting great looks and minimal upkeep
- Built to exceed tough building codes, 2.5 times the design loads applied to wood or metal
- Highly integrated, precision-engineered components for fast and secure installation
- Limited Lifetime Warranty



Colonial Rail

| | |
|--|--------------|
| 6'x36" White Classic Rail Section: KB0L6-36 | \$89.89 ea. |
| 8'x36" White Classic Rail Section: K0BL8-36 | \$119.84 ea. |
| 6'x36" White Classic Stair Section: KB0S6-36 | \$97.11 ea. |
| 6'x36" White Colonial Rail Section: KS0L6-36 | \$116.85 ea. |
| 8'x36" White Colonial Rail Section: KS0L8-36 | \$155.79 ea. |
| 6'x36" White Colonial Stair Section: KS0S6-36 | \$126.24 ea. |
| 5"x5"x108" Certainteed Colonial Porch Column White (Turned) | \$172.49 ea. |
| 5"x5"x108" Certainteed Universal Porch Column White (Square) | \$172.49 ea. |
| 4"x4"x108" Post Wrap White W/2 2pc Trims: P0W14R | \$52.91 ea. |
| 6"x6"x108" Post Wrap White W/2 2pc Trims: P0W16R | \$74.31 ea. |
| 4"x4" Square Style Post Cap White: P0C14 | \$3.66 ea. |
| 4"x4" New England Style Post Cap White: P0C24 | \$9.24 ea. |
| 4"x4"x45" Universal Post Sleeve White: P0U42 | \$15.45 ea. |
| 4"x4"x60" Universal Post Sleeve White: P0U60 | \$22.08 ea. |
| 4"x4" One Piece Post Trim White (Skirt): R0PTF2 | \$4.52 ea. |
| Post Anchor Kit Aluminum with Concrete Hardware: KP0SP1C | \$28.36 ea. |



AZEK Rail offers the beauty and feel of real wood coupled with the high durability and low maintenance you expect from AZEK.

RAILINGS


An AZEK Rail kit contains everything needed to assemble a section of railing (top rail, bottom rail, balusters, etc.) and hardware to attach the railing sections to the posts. Rail kits do not include posts, just the railing parts between the posts.



Flat Top - White

Railing Kits

| | |
|---|----------|
| 6' x 36" Rail Kit Used for level or stairs | \$174.51 |
| 6' x 42" Rail Kit Used for level or stairs | \$192.83 |
| 8' x 36" Rail Kit Used for level or stairs | \$230.88 |
| 8' x 42" Rail Kit Used for level or stairs | \$258.81 |
| 10' x 36" Rail Kit Used for level or stairs | \$361.33 |

Post Sleeves - 5" x 5"

| | |
|-----------------------------------|---------|
| 5-1/2" x 5-1/2" x 39" Post Sleeve | \$50.48 |
| 5-1/2" x 5-1/2" x 54" Post Sleeve | \$69.90 |

PVC Accessories

| | |
|--|---------|
| 5-1/2" x 5-1/2" PVC Pyramid Cap | \$32.36 |
| 5-1/2" x 5-1/2" PVC Island Cap | \$34.29 |
| 5-1/2" x 5-1/2" PVC Post Skirt 2 piece | \$19.45 |
| Secure Post Mount | \$82.70 |

Custom Built Vinyl Railings

- The Santana – 2" x 3-1/2" top and bottom rails, square pickets
- The Conrad I – T-rail top, square bottom rail and square pickets
- The Conrad II – T-rail top, square bottom rail, newel (turned) pickets

(Aluminum reinforcement rails featured on all styles)




RAILINGS

All railings include T-Rail Brackets.

| 36" Height | | | |
|------------|----------|----------|-----------|
| | Santana | Conrad I | Conrad II |
| 4' Section | \$102.84 | \$102.84 | \$129.84 |
| 6' Section | \$142.29 | \$142.29 | \$176.04 |
| 8' Section | \$187.25 | \$187.25 | \$214.25 |
| 42" Height | | | |
| | Santana | Conrad I | Conrad II |
| 4' Section | \$111.45 | \$111.45 | \$150.39 |
| 6' Section | \$153.34 | \$153.34 | \$211.77 |
| 8' Section | \$195.25 | \$195.25 | \$273.15 |

UltiMount for wood \$60.08
 UltiMount for concrete \$60.08

T-Rail Bracket Set \$10.46
 T-Rail Bracket Set (stair) \$13.16
 Angle Wizard Stair Bracket \$15.86



48" Post (4x4) \$19.14
 96" Post (4x4) \$38.27
 4" Post Skirt \$5.33
 4" Flat Post Cap \$1.89
 4" New England Post Cap \$5.48



12" Combination Snip
MC12A \$38.82



14" Combination Snip
MC14A \$41.77



Pattern Snip
M9 \$29.41



Aviation Snip Left
M2001 \$25.81



Aviation Snip Right
M2002 \$26.59



Aviation Snip Straight
M2003 \$26.59



Siding Removal Tool
SRT-2 \$4.75



Snap Lock Punch
SL5 \$20.14



Horiz. Nailhole Punch
NHP1 \$44.40



Trim Nail Punch
TNP2R \$21.00



6" Hand Seamer
S6 \$74.98



1/4" Hex Chuck Driver 6"
MSHXL1/4 \$11.48




Downspout Crimper
C4 \$36.90



MINI-SIZE Trim Nail Punch
TNP3S \$12.83

E-Z CUT

SWIVEL SAW ASSEMBLY



**Apply more siding
in less time...make
more money per job...
for only pennies a day!**

**Adaptable for cutting aluminum,
wood clapboard, shingles, vinyl
and other exterior sidings!**

**Fast and precise,
with professional results.**



E-Z CUT Swivel Saw Assembly and wood base
shipped unassembled. (SAW NOT INCLUDED)

- Up to 60° Angles! Cuts up to Six Panels at One Time!
- Mount Any 7 1/4" Heavy Duty Saw!
- Conveniently Swings Away from Work Area When Not in Use!
- Sturdy Mounting Base Available! 3/4" AC Plywood...or Fabricate Your Own!

Manufactured by



Since 1961, manufactures of quality shutters
for the professional builder and remodeler.

E-Z Cut Swivel Saw Assembly \$232.35
(does not include saw or table)



Vinyl & Fiberglass Columns

HB&G available through special order.

Please call for current HB&G pricing.



**NEW
14" ROUND
FLUTED**

**16" FLUTED
COMING SOON
CALL YOUR
RETAILER**

ROUND PERMACAST® COLUMN DIMENSIONS (IN INCHES)*

| COL. SIZE | A | B | C | D | E | F | G | J | K | L | O | N | R | T | LENGTH AVAIL |
|-----------|---------|---------|---------|--------|--------|--------|--------|--------|--------|---------|------|--------|---------|---------|------------------------------|
| 6" | 5 1/2" | 4 1/4" | 9" | 1 1/4" | 1 1/4" | 3/4" | 1/2" | 1 1/2" | 1 1/2" | 8" | NA | NA | 3 3/4" | 4 1/4" | 6,8 |
| 8" | 7 1/4" | 6 1/4" | 10 1/2" | 1 1/2" | 1 3/4" | 3/4" | 3/4" | 1 1/2" | 1 1/2" | 9 1/2" | 1/2" | 2 1/4" | 4 1/4" | 4 1/2" | 6,8,9,10 |
| 10" | 9 1/4" | 8 1/4" | 13 1/4" | 2 1/4" | 2 1/4" | 3/4" | 3/4" | 1 1/2" | 1 1/2" | 11 1/4" | 3/4" | 2 1/4" | 5 1/4" | 5" | 8,9,10,12 |
| 12" | 11 1/4" | 9 1/4" | 16 1/2" | 2 3/4" | 2 3/4" | 7/8" | 3/4" | 1 1/2" | 2 1/4" | 13 3/4" | 3/4" | 2 3/4" | 6 1/4" | 5 1/4" | 6,8,9,10,12,14,16,18 |
| 14" | 13 1/4" | 11 1/4" | 19 1/4" | 3 1/4" | 3 1/4" | 1 1/4" | 3/4" | 2" | 2 1/4" | 17" | 3/4" | 2 3/4" | 7 1/4" | 7" | 8,9,10,12,14,16,18 |
| 16" | 15 1/4" | 13 1/4" | 22 1/4" | 4" | 3 3/4" | 1 1/4" | 1" | 2 1/4" | 3" | 19 1/4" | 1" | 3" | 8 1/4" | 8" | 8,10,12,14,16,18,20 |
| 18" | 17 1/4" | 15 1/4" | 24 1/4" | 4" | 4" | 1 1/4" | 1 1/4" | 2 1/4" | 3 1/4" | 22 1/4" | NA | NA | 9 1/4" | 8 1/4" | 8,10,12,14,16,18,20,22,24,26 |
| 20" | 19 1/4" | 17 1/4" | 27" | 4 1/4" | 4 1/4" | 2" | 1 1/4" | 2 1/4" | 3 1/4" | 24 1/4" | NA | NA | 11 1/4" | 9" | 18,20,22,24 |
| 22" | 21 1/4" | 19 1/4" | 30 1/4" | 5 1/4" | 4 3/4" | 2" | 1 1/4" | 3" | 3 1/4" | 27 1/4" | NA | NA | 12 1/4" | 10 1/4" | 16,18,20,22,24,26 |
| 24" | 23 1/4" | 21 1/4" | 33 1/4" | 5 1/4" | 5 1/4" | 2 1/4" | 2 1/4" | 3 1/4" | 4 1/4" | 30 1/4" | NA | NA | 13 1/4" | 11 1/4" | 14,16,18,20,22,24,26,28,30 |
| 30" | 29 1/4" | 26 1/4" | 41 1/4" | 6 1/4" | 5 3/4" | 2 1/4" | 3 1/4" | 4" | 4 1/4" | 38 1/4" | NA | NA | 14 1/4" | 14 1/4" | 20,22,24,26,28,30 |

*There may be a variance of up to 1/4" in all dimensions. Fluted columns available in 8", 10", 12", 14" and 16" diameters only (Call for lengths and availability). Plain ROUND PermaCast® columns can be trimmed at least 24" with the following exceptions 6x6-8", 14x9-12", 16x8-16", 18x10-6" Custom sizes available, contact the HB&G architectural department.

COLUMNS





2000 CONTRACTOR SERIES



OVERALL FEATURES

- 1 Pinch fusion-welding construction creates a solid, one-piece unit with no excess variance for long-term durability
- 2 Warm Edge glass spacer system reduces thermal transfer around the glass perimeter by using a unique U-shaped channel to separate glass panes and interrupt the natural flow of heat to cold; upgrade to Warm Edge+ for enhanced performance
- 3 High DP performance option, featuring reinforced sash on double hung and sliding windows, ensures security and peace of mind when the weather outside is threatening
- 4 Available with Low-E, HP or HPmaxglass package options (see page 6 for details)
- 5 All product styles can be configured to meet ENERGY STAR® requirements in all states
- 6 NFRC rated and certified
- 7 3 1/4" frame depth for traditional pocket window installation
- 8 Designed with equal sight line sash on double hung for traditional wood window appearance
- 9 New Generation uPVC vinyl never needs painting or caulking and resists conducting heat and cold
- 10 Hidden SilLock design with a sloped sill eliminates the need for weep holes, forces water to drain to the exterior of the window and keeps your windows dry, providing enhanced weather-tight performance



WINDOWS

A



Warm Edge spacer (standard)

B



Sleek cam-action sash locks on double hung and sliding windows provide security and performance without compromising beauty

C



Pinch fusion-welding



PRO SERIES REPLACEMENT



OVERALL FEATURES

- 1 Glass systems with Warm Edge (standard) or Warm Edge+ (optional upgrade) spacer systems and HP or HPmax glass package options offer increased energy-efficiency
- 2 Vinyl won't conduct heat or cold, dramatically reducing frost and condensation
- 3 Pinch fusion-welded sash and mainframes for high strength and high energy-efficiency
- 4 Double hung windows feature integral interlock for a weathertight seal and extra security
- 5 New Generation uPVC vinyl never needs painting or caulking and resists conducting heat and cold
- 6 Limited lifetime warranty means your windows are protected under the warranty for as long as you own your home
- 7 Sloped sill with unique SilLock design ensures natural water run-off
- 8 Warm Edge glass spacer systems reduce thermal transfer around the glass perimeter by using a unique U-shaped channel to separate glass panes and interrupt the natural flow of heat to cold



WINDOWS

A



Fusion-welded strength

B



Warm Edge spacer



PREMIUM SERIES REPLACEMENT



OVERALL FEATURES

- 1 Pinch fusion-welding construction creates a solid, one-piece unit with no excess variance for long-term durability
- 2 Heavy-duty weatherstripping provides a barrier to air and water, saving energy dollars
- 3 Sloped sill with unique SilLock design ensures natural water runoff
- 4 Premium Series comes standard with the vinyl mainframe filled with patented R-Core™ insulation (pre-expanded high-density solid polyurethane), the same type used in many refrigerator/freezer doors; for enhanced performance Premium Series Energy Package options feature the mainframe and sash filled with patented R-Core
- 5 Interforce II™ reinforced meeting rails on double hung and sliding windows with Premium Series Energy Package options feature internal structural fiberglass extrusions for reinforcement along with an integral interlocking system, providing unsurpassed strength and durability without conduction
- 6 Glass systems with Warm Edge (standard) or Warm Edge+ (optional upgrade) spacer systems and HP or HP+arglass package options offer increased energy-efficiency
- 7 New Generation uPVC vinyl never needs painting or caulking and resists conducting heat and cold



WINDOWS




Fusion-welded strength



R-Core™ insulated frames and sash




Interforce II™ fiberglass-reinforced sash meeting rails



Warm Edge spacer (standard)



Solaris Features & Benefits



- **Fusion Welded Frame and Sash:** The utmost in strength and integrity.
- **Extra Wide, Sturdy Integral Nailing Fin:** Installation ease and inhibits water and air infiltration.
- **Patented Integral J-Channel Design:** Master frame, double walled J-Channel receptor provides clean look and saves time and materials.
- **Optional Jamb Extension Products:** Applied jamb extensions in 4-9/16" or 6-9/16" in clear or primed wood.
- **Advanced Balance System Technology:** Block and tackle, provides smooth operation of sash.
- **Trim Sightline:** Allows maximum amount of light.
- **Millwork-Look Exterior Frame Design:** Gives a rich detail and style, providing a distinctive millwork-finished look.
- **Recessed-in Tilt Latches:** Color matched low profile latches for a neat appearance.
- **Soft Curved Sash Design:** Looks more like traditional wood window sash.
- **Composite Cam Lock and Keeper:** Cam action actually draws sashes closer together for positive lock.
- **Full Length Extruded Lift Rail:** Provides easy sash operation.
- **Tilt In Sashes:** Both sashes tilt in for easy cleaning.
- **3/4" PPG Intercept Insulated Glass System:** Non-Conductive spacer provides barrier to heat transfer in insulating glass unit.
- **Interlocking Meeting Rail:** Provides additional security and has passed AAMA Forced Entry Resistance Test.
- **Optional PPG Solarban-70 Low-E Glass:** For maximum regional thermal efficiency.
- **Heavy Duty Weatherstrip Design:** With double mylar fins for resistance to air and water infiltration.
- **5 Degree Positive Sloped Sill:** Provides water runoff, even in driving rain.
- **Clear Advantage Sturdy Half Screen:** Provides a much improved and unobstructed view.
- **Lifetime Limited Guarantee Warranty**



Optional Colonial Casing
Exterior shown with J-channel
in use, shown left.



Optional 3-1/2" Flat Casing
shown right.

Optional foam filled frame and sashes will increase your energy savings.

Our windows are environmentally friendly and lead free.

Every Solaris Fully Welded Window is custom-sized to your specifications, designed and constructed to meet your needs with styles and options you choose. This assures you of a perfect fit without altering the architectural structure of your home. Quick and clean installation is performed by qualified professionals.



Eclipse Features & Benefits




- **Fusion Welded Frame and Sash:** Provides an impenetrable barrier to air and water penetration, the ultimate in strength and integrity.
- **Deeply Pocketed Head:** With weather stripping to resist air infiltration.
- **Advanced Balance System Technology:** Block and tackle, provides smooth operation of sash.
- **Soft Curved Sash Design:** Looks more like traditional wood window sash.
- **Sash Limit/Vent Locks:** Allow for ventilation with security; have passed AAMA Forced Entry Resistance Testing.
- **Recessed-in Tilt Latches:** Color matched low profile latches for a neat appearance.
- **Composite Cam Lock and Keeper:** Cam action actually draws sashes closer together for positive lock.
- **Aluminum Reinforcement:** Provides a solid anchor for locks and prevents warping.
- **Dual Tilt in Sashes:** Both sashes tilt in for easy cleaning.
- **3/4" PPG Intercept Insulated Glass System:** Non-Conductive spacer provides barrier to heat transfer in insulating glass unit.
- **Interlocking Meeting Rail:** Provides additional security and has passed AAMA Forced Entry Resistance Test.
- **Heavy Duty Weatherstrip Design:** With double mylar fins for resistance to air and water infiltration.
- **Optional PPG SolarBan-70 Low-E Glass:** For maximum regional thermal efficiency.
- **Sunshield 100% Vinyl:** An advanced vinyl compound with a proven weather beating formula.
- **Clear Advantage Sturdy Half Screen:** Provides a much improved and unobstructed view.
- **5 Degree Positive Sloped Sill:** Provides water runoff, even in driving rain.
- **Fully Welded Double Wall Interior Dam Leg:** With fin-seal weather stripping for improved strength and optimal air and water performance.
- **Full Length Extruded Lift Rail:** Provides easy sash operation.
- **Lifetime Limited Warranty**

Optional foam filled frame and sashes will increase your energy savings.

Our windows are environmentally friendly and lead free.



Orion Features & Benefits




- **Fusion Welded Frame and Sash:** Provides an impenetrable barrier to air and water penetration, the ultimate in strength and integrity.
- **Deeply Pocketed Head:** With weather stripping to resist air infiltration.
- **Heavy Walled Construction:** 0.080" walls are a full 12% thicker than most other windows and provide a better thermal barrier.
- **Optional Foam Insulation:** In frame and sash to improve thermal performance.
- **Sash Limit/Vent Locks:** Allow for ventilation with security; have passed AAMA Forced Entry Resistance Testing.
- **Soft Curved Sash Design:** Looks more like traditional wood window sash.
- **Full Length Extruded Lift Rail:** Provides easy sash operation.
- **Dual Tilt-in Sashes:** Both sash tilt in for easy cleaning.
- **Recessed-in Tilt Latches:** Color matched low profile latches for a neat appearance.
- **Innergy® Composite Reinforcement:** For maximum strength and thermal efficiency.
- **Super Spacer® Warm Edge Technology:** No-metal spacer provides barrier to heat transfer in insulating glass unit.
- **1" Insulating Glass System:** Optional PPG Solarban-70 Low-E, for maximum regional thermal efficiency. Optional triple pane shown.
- **Interlocking Meeting Rail:** Integral Interlock provides additional security and has passed AAMA Forced Entry Resistance Test.
- **Designer Composite Cam Lock and Keeper:** Cam action actually draws sash closer together for positive lock.
- **Three Layers of Weather Stripping:** With double mylar fins for resistance to air and water infiltration.
- **Flexible Bulb Seal:** Provides a superior high performance weather seal like a refrigerator door.
- **5 Degree Positive Sloped Sill:** Provides water runoff, even in driving rain.
- **Fully Welded Double Wall Interior Dam Leg:** With fin-seal weather stripping for improved strength and optimal air and water performance.
- **Non-Corrosive Hardware:** Years of trouble free performance, no matter what the environment.
- **Advanced Balance System Technology:** Block and tackle, provides smooth operation of sash.
- **Sunshield 100% Vinyl:** An advanced vinyl compound with a proven weather beating formula.
- **DP-50 Rating:** Engineered to perform in any weather.
- **Lifetime Limited Guarantee Warranty**

Optional triple pane glass and foam filled frame and sashes shown equals an R-5 rating.

Orion is available for New Construction applications



Aurora Features & Benefits



- **Heavy Wall Multi-Chamber Vinyl Extrusions:** Provide a better thermal barrier.
- **Beautiful Contour Exterior Design:** Gives your home an elegant and fresh new look and matches other Earthwise window profiles.
- **Fusion Welded Frame and Sash:** Provides an impenetrable barrier to air and water penetration, the ultimate in strength and integrity.
- **Casement Will Open a Full 90°:** For maximum ventilation and easy cleaning from inside your home.
- **Optional Egress Hinge:** Will allow for smaller windows to meet egress requirements.
- **Multi-Point Locking System and Heavy Duty Encore Hardware:** For Easy, Weather-Tight Operation, and Dependable Security. Casement locks at multiple points.
- **Narrow Profile Design for Maximum View:** One of the narrowest profiles in the industry.
- **Multiple Unit Design:** Allows for Mulling and Stacking for Unique Aesthetics
- **Optional PPG SolarBan-70 Low-E Glass:** For maximum regional thermal efficiency.
- **Corrosion Resistant Hardware:** Assures years of trouble free performance.
- **Sunshield 100% Vinyl:** An advanced vinyl compound with a proven weather beating formula.
- **Encore's Full-Flip Folding Handle Design:** Recesses in the operator cover, giving windows a smooth, contemporary look and eliminates interference with curtains and blinds.
- **Heavy Duty Triple Weatherstrip Design:** For maximum resistance to air and water infiltration.
- **3/4" PPG Intercept Insulated Glass System:** Non-Conductive spacer provides barrier to heat transfer in insulating glass unit.
- **Clear Advantage Sturdy Screen:** Provides a much improved and unobstructed view and uses no pins or mechanical blades.
- **Awning Windows:** Can be used in many window combinations.
- **Lifetime Limited Warranty**

Handle shown folded in the operator cover.

- Our windows are environmentally friendly and lead free.
- Optional foam filled frame and sashes will increase your energy savings.



Standard Features

- 3/4" Insulating glass - "Warm Edge" I.G. with Super Spacer and krypton gas
- Air infiltration rating of .05 cfm/fcp
- Recessed sash release latches
- Block & Tackle balances
- Non-spread pivot for sure fit and tight weatherseal insulation
- Available in 4 basic colors: White, Beige, Earthtone & Bronze *plus* any custom color
- Available in choice of wood interiors: Pine (std), Oak, Cherry, or Mahogany
- Series DR-300 available custom sized in 4-9/16" jamb for masonry or rough opening installation (with optional nailing fin)
- Now available - White jambliner and tilt latches

Installed from the inside, the series DR200 comes completely assembled. The unit fits into the 3-1/4" sash pocket of the existing window frame so there is no mess involved with a complete window removal and original trim, paint or wallpaper are not disturbed. Custom made exactly to the 1/8" in both width and height, the DR200 is also available with an optional foam wrapped frame for an extra weather tight installation.



DR200

Bay & bow windows also available. Call for details.

The Legends Series DR300 double hung is designed for both residential and commercial remodeling applications where a full frame replacement is required or for sash pocket installations where an extruded aluminum panning system can be used to cover the old window casings. Custom made exactly to the 1/8" in width and height, the unit which has a standard full 4-9/16" jamb can be ordered in any jamb depth. The DR300 is also ideal for use in replacement applications of existing openings where the old window has been completely removed and an accessory brickmoulding is attached to fill the void left from the old window casing. Custom design brick moulding and panning profiles are also available. The DR300 is available with standard full screen or optional sliding half screen.

TrimLine casement windows were designed and engineered with the energy wise discriminating consumer in mind. TrimLine's high performance Comfort Plus Low E insulating glass with Warm Edge Super Spacer and Krypton/Argon gas is standard on all casement and awning windows. When combined with the superior insulating qualities of wood along with the tough maintenance-free durability of a clad exterior, TrimLine casement and awning windows truly offer you the best of both worlds.

- **C3000/AW3000** - 3-1/4" replacement style jamb for sash pocket installation.
- **C4000/AW4000** - One piece 4-9/16" jamb for full tear-out remodeling projects or with snap-in nailing flange for new construction.



C3000




PLY GEM

BUILDING PRODUCTS. BUILDING SUCCESS.

Mira Premium Series

- Tilt-in sash design for easy cleaning from the safety of inside your home.
- Sash interlock provides superior structural performance.
- Stepped jambliner design for superior structural performance while maximizing available daylight opening.
- Three-piece jambliner allows for different interior and exterior jambliner colors.
- 6/4 sash construction for historically accurate wood window look.
- 4-9/16" jambs made of clear wood eliminate extensive drywall work.
- Sash and interior made with select clear wood; ready for paint or stain to match any interior décor (also available in pre-finished white).
- Integral face groove allows for easy mulling and exterior accessory application.
- Pre-punched nailing fin with corner gasket for simple installation.
- AAMA 2604 paint finish provides superior resistance to chalking and fading.
- Energy efficient Warm Edge Insulating Glass with Argon gas fill reduces energy costs while reducing fabric fading.
- Vacuum treated, solid wood components resist damage from water, insects and fungus.
- Durable .050 Extruded Aluminum Cladding on all exterior surfaces resists dings and dents while providing structural integrity.



NEW
WINDOWS



Models VSE, VS, FS Features



Externally mounted rain sensor

Self-programming 87 remote control option

Other features:

The pre-attached perimeter flange with a durable, closed-cell foam gasket seals tight to the roof decking.

Tighter rough opening, for a warmer installation.

Advanced silicone glazing sealant around glass and frame connection is impervious to water and air and will last the life of the skylight.

Positioning notches built into the Deck Seal provide a simplified alignment method that can be performed on the roof.

Unique condensation gutters and gaskets are incorporated into the skylight to catch and channel condensation out of the home.



Superior LoE3 Glass
Advanced LoE3 coating provides more daylight and better heat control for year-round comfort and energy savings.

- 100% light transmission
- Superior 87%
- Total heat gain
- Superior 87%

Patent-pending VELUX "Deck Seal" provides an air and water barrier for a leak proof installation. The 1 1/2" flange/bracket sits directly on the roof deck with no gaps.

Pre-mounted **PicksClick!** system brackets make the installation of sunscreen blinds a snap.

Factory pre-finished white frames and sashes provide for a high quality finish that eliminates the need for secondary high cost trips by a painter.

Factory installed operators for venting and venting electric skylights eliminate the need for field-installed operators and multiple wire connections.

Mortise and tenon joints for stability in the frame.

Venting electric skylights comes with 20 feet of standard wire.

Full range of blinds, controls and accessories for easy installation



Blackout blind blocks the light



Roller blind allows the light



Window blind style and control



Corner lip design cleans around water based



No cladding screen and only one piece to measure during installation for less time and greater simplicity while installing the skylight on the roof.

www.thenoleakskylight.com

VELUX introduces "The No Leak Skylight"

Features include a third layer of water protection – advanced LoE3 glass for better energy efficiency, higher visible light transmittance, and improved solar heat gain performance – pre-finished frames and sashes to eliminate the need for secondary high-cost trips by a painter – pre-mounted brackets for quick installation of sunscreen blinds – lower roof profile with an updated curved architectural design – and a neutral gray color, preferred by consumers and builders, to blend with most roof materials and colors. The redesigned deck mounted product family now carries the new 10-year installation warranty plus 20 years on glass, 10 years on skylights, and five years on blinds and controls.



Fixed deck-mounted No Leak Skylight - FS

- Pre-finished white interior wood frame
- Aluminum or copper exterior finish
- Factory installed blinds available
- The No Leak Skylight carries the 10-year installation warranty



Sample ordering code:
without blinds

FS - A06 - 2004
Model Size Product code

| FS Size code | 14" - 85" 3:12 - 137:12 | A06 | C01 | C04 | C06 | C08 | C12 | D26 | D06 | M02 | M04 | M06 | M08 | S01 | S06 |
|-------------------------|-------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|
| Outside frame (W" x H") | 15 1/2 x 46 1/4 | 21 1/2 x 27 1/4 | 21 1/2 x 38 1/4 | 21 1/2 x 46 1/4 | 21 1/2 x 54 1/4 | 21 1/2 x 70 1/4 | 23 1/2 x 23 1/4 | 23 1/2 x 46 1/4 | 30 1/2 x 30 1/2 | 30 1/2 x 38 1/4 | 30 1/2 x 46 1/4 | 30 1/2 x 54 1/4 | 44 1/2 x 27 1/4 | 44 1/2 x 46 1/4 | |
| Rough opening (W" x H") | 14 1/2 x 45 1/4 | 21 x 26 1/4 | 21 x 37 1/4 | 21 x 45 1/4 | 21 x 54 1/4 | 21 x 70 1/4 | 22 1/2 x 22 1/4 | 22 1/2 x 45 1/4 | 30 1/2 x 30 | 30 1/2 x 37 1/4 | 30 1/2 x 45 1/4 | 30 1/2 x 54 1/4 | 44 1/2 x 26 1/4 | 44 1/2 x 45 1/4 | |

FS skylight pricing

Clean, Quiet & Safe glass (For out-of-reach applications)

Clean



Features Neat® glass coating to keep your skylight cleaner longer, leaving skylights virtually spotless

Quiet



Reduce unwanted outside noise by up to 25% compared to a standard double pane glass, and up to 50% compared to a plastic skylight

Safe



VELUX recommends and building codes require laminated glass for out-of-reach applications

| Glass type | Factory installed blinds available | Product code | A06 | C01 | C04 | C06 | C08 | C12 | D26 | D06 | M02 | M04 | M06 | M08 | S01 | S06 | Delivery |
|---|------------------------------------|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| Laminated LowE3 | Yes | 2004 | 264 | 234 | 269 | 299 | 323 | 414 | 253 | 307 | 292 | 316 | 358 | 391 | 362 | 456 | S |
| Laminated (Copper exterior finish) | No | 2104 | 432 | 380 | 444 | 497 | 541 | 704 | Call | Call | 474 | 518 | 593 | 652 | 582 | 751 | D |
| Impact | "T" Only | 2006 | 476 | 409 | 444 | 474 | 498 | - | 415T | 469T | 498 | 522 | 564 | 597 | 600 | 694 | N |
| Snowload | No | 2010 | 451 | 388 | 423 | 453 | 477 | Call | Call | Call | 473 | 497 | 539 | 572 | 569 | 663 | A |
| Stain grade wood interior (Laminated LowE3) | No | 0004 | Call | Call | 292T | 324T | Call | Call | Call | Call | Call | Call | 388T | 424T | Call | 494T | N |

For in-reach applications

| Glass type | Factory installed blinds available | Product code | A06 | C01 | C04 | C06 | C08 | C12 | D26 | D06 | M02 | M04 | M06 | M08 | S01 | S06 | Delivery |
|----------------|------------------------------------|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|
| Tempered LowE3 | Yes | 2005 | 211 | 183 | 218 | 248 | 272 | 363 | 200 | 254 | 228 | 252 | 294 | 327 | 274 | 368 | S |

Flashing systems

VELUX flashing required for No Leak Warranty

| Description | Roofing material | Roof pitch | Product code | A06 | C01 | C04 | C06 | C08 | C12 | D26 | D06 | M02 | M04 | M06 | M08 | S01 | S06 | Delivery |
|--|--|------------|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|
| Step flashing with adhesive underlayment | Asphalt shingles, wood shakes or slate (up to 1/2" maximum thickness) | 14°-85° | EDL 0000B | 86 | 92 | 92 | 92 | 116 | 116 | 97 | 97 | 100 | 100 | 100 | 100 | 110 | 110 | S |
| Copper step flashing with adhesive underlayment | Asphalt shingles, wood shakes or slate (up to 1/2" maximum thickness) for copper cladding only | 14°-85° | EDL 0100B | 182 | 194 | 194 | 194 | 245 | 245 | 205 | 205 | 227 | 227 | 227 | 227 | 243 | 243 | D |
| High profile flashing with adhesive underlayment | Tile (over 3/4 inch thickness) | 14°-85° | EDW 0000A | - | 158 | 164 | 173 | 193 | 193 | 196 | 196 | 178 | 179 | 186 | 189 | 202 | 214 | S |
| Metal roof flashing with adhesive underlayment | Metal | 14°-85° | EDM 0000B | 260 | 228 | 262 | 291 | 311 | 351 | 247 | 306 | 279 | 299 | 317 | 316 | 314 | 333 | S |
| Biepack flashing | Counter flashing for deck-mounted skylights | | ECB 0000 | - | 186 | 186 | 186 | 186 | - | - | - | 213 | 213 | 213 | 213 | 226 | 226 | S |

"Fresh Air" deck-mounted No Leak Skylight - VS

- Package includes operator hook and insect screen
- Out-of-reach rod and in-reach crank handle are sold separately (see page 30)
- Pre-finished white interior wood frame
- Aluminum or copper exterior finish
- Factory installed blinds available
- The No Leak Skylight carries the 10-year installation warranty



Sample ordering code:
without blinds


VS - C01 - 2004
Model Size Product code

| VS Size code | 14" - 85" 312 - 13712 | C01 | C04 | C06 | C08 | M02 | M04 | M06 | M08 | S01 | S06 |
|-------------------------|-----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Outside frame (W" x H") | | 21 1/2 x 27 1/4 | 21 1/2 x 38 1/4 | 21 1/2 x 46 1/4 | 21 1/2 x 54 1/4 | 30 1/2 x 30 1/2 | 30 1/2 x 38 1/4 | 30 1/2 x 46 1/4 | 30 1/2 x 54 1/4 | 44 1/2 x 27 1/4 | 44 1/2 x 46 1/4 |
| Rough opening (W" x H") | | 21 x 26 1/4 | 21 x 37 1/4 | 21 x 45 1/4 | 21 x 54 1/4 | 30 1/2 x 30 | 30 1/2 x 37 1/4 | 30 1/2 x 45 1/4 | 30 1/2 x 54 1/4 | 44 1/2 x 26 1/4 | 44 1/2 x 45 1/4 |

VS skylight pricing (Insect screen included)

Clean, Quiet & Safe glass (For out-of-reach applications)

Clean



Features Neat® glass coating to keep your skylight cleaner longer, leaving skylights virtually spotless

Quiet



Reduce unwanted outside noise by up to 25% compared to a standard double pane glass, and up to 50% compared to a plastic skylight

Safe



VELUX recommends and building codes require laminated glass for out-of-reach applications

| Glass type | Factory installed blinds available | Product code | C01 | C04 | C06 | C08 | M02 | M04 | M06 | M08 | S01 | S06 | Delivery |
|---|------------------------------------|--------------|------|------|------|------|------|------|------|------|------|------|----------|
| Laminated LowE3 | Yes | 2004 | 466 | 501 | 531 | 555 | 524 | 548 | 590 | 650 | 594 | 741 | S |
| Laminated (Copper exterior finish) | No | 2104 | 612 | 676 | 729 | 773 | Call | 750 | 825 | 884 | 814 | 983 | D |
| Impact | No | 2006 | Call | 676 | 706 | 730 | Call | 754 | 796 | 847 | 832 | 944 | N |
| Snowload | No | 2010 | Call | 655 | 685 | 709 | Call | 729 | 771 | 831 | 801 | 948 | A |
| Stain grade wood interior (Laminated LowE3) | No | 0004 | Call | Call | 556T | Call | Call | Call | 620T | 680T | Call | 779T | N |

For in-reach applications

| Glass type | Factory installed blinds available | Product code | C01 | C04 | C06 | C08 | M02 | M04 | M06 | M08 | S01 | S06 | Delivery |
|----------------|------------------------------------|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|
| Tempered LowE3 | Yes | 2005 | 415 | 450 | 480 | 504 | 460 | 484 | 526 | 587 | 506 | 652 | S |

Flashing systems

VELUX flashing required for No Leak Warranty

| Description | Roofing material | Roof pitch | Product code | C01 | C04 | C06 | C08 | M02 | M04 | M06 | M08 | S01 | S06 | Delivery |
|--|--|------------|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|
| Step flashing with adhesive underlayment | Asphalt shingles, wood shakes or slate (up to 1/2" maximum thickness) | 14° - 85° | EDL 0000B | 92 | 92 | 92 | 116 | 100 | 100 | 100 | 100 | 110 | 110 | S |
| Copper step flashing with adhesive underlayment | Asphalt shingles, wood shakes or slate (up to 1/2" maximum thickness) for copper cladding only | 14° - 85° | EDL 0100B | 194 | 194 | 194 | 245 | 227 | 227 | 227 | 227 | 243 | 243 | D |
| High profile flashing with adhesive underlayment | Tile (over 3/4 inch thickness) | 14° - 85° | EDW 0000A | 158 | 164 | 173 | 193 | 178 | 179 | 186 | 189 | 202 | 214 | S |
| Metal roof flashing with adhesive underlayment | Metal | 14° - 85° | EDM 0000B | 228 | 262 | 291 | 311 | 279 | 299 | 317 | 316 | 314 | 333 | S |
| Bi-pack flashing | Counter flashing for deck-mounted skylights | | ECB 0000 | 186 | 186 | 186 | 186 | 213 | 213 | 213 | 213 | 226 | 226 | S |

Lumber



Plywood

- 4'x 8'
- 15/32 Fir 4 ply plywood

Call for pricing.



Pine Boards

- 1'x 6" Pine #2
- Random lengths


Call for pricing.



2x4's and 2x6's

- 2"x 4"x 8' Dougfir
- 2"x 6"x 8' Dougfir

Call for pricing.



Molding

- 10' lengths

\$8.50 per bundle



Furring Strips

- 1'x 3"x 10'

\$0.23 Lineal foot

Masonite offers

more door **OPTIONS** with more door **VALUE**

| | FIBERGLASS | | |
|----------------------------|--|---|---|
| | TRADITIONAL | BARRINGTON® SIERRA® & FLAGSTAFF® | CRAFTSMAN |
| Rating | ★★★★★ Exceptional | ★★★★★ Exceptional | ★★★★★ Exceptional |
| Door & Glass Panel Options | Custom door panel with glass designs | Custom door panel with complementing sidelite glass designs | Custom door panel with glass designs |
| Woodgrain Texture | Traditional oak & mahogany with variable-depth woodgrain | Traditional & ribbon-striped mahogany with variable-depth woodgrain | Rift-cut oak & traditional mahogany with variable-depth woodgrain |
| Door Core | Polyurethane | Polyurethane | Polyurethane |
| ENERGY STAR® Eligible* | ✓ | ✓ | ✓ |
| Finish Options | Stain or Paint | AvantGuard® Prefinished, Stain or Paint | Stain or Paint |
| Warranty | Limited Lifetime Warranty† | Limited Lifetime Warranty† 5 Year for AvantGuard® Finish† | Limited Lifetime Warranty† |

We bring you more styles, designs, textures and sizes to choose from for your home. Homeowners, remodelers, architects and builders rely on Masonite for superior craftsmanship, durability and value in both fiberglass and steel doors. Choose from our extensive line of entry doors to make all your entrances grand.



Traditional

Rich, classic elite line offers superior woodgrain authenticity with excellent durability and performance.



Sierra®

Southwest and country inspired designs in our superior woodgrain motif engineered for excellent durability and performance.

Flagstaff®



Craftsman

Crafted in Mission style with your choice of our superior woodgrain texture engineered for excellent durability and performance.

*A critical component of an ENERGY STAR qualified entryway.
 †Belleville Mahogany has premium hardwood stiles.
 †All warranties are limited.



Get more technical info at www.masonite.com

ENGINEERED TO LAST A LIFETIME

Masonite. The Beautiful Door.®

| FIBERGLASS | | STEEL |
|--|-----------------------------------|--|
| BELLEVILLE® | | MASONITE HD |
| TEXTURED | SMOOTH | |
| ★★★★ Excellent | ★★★ Best | ★★ Good |
| Over 100 customizable door and glass designs | | Over 100 customizable door and glass designs |
| Traditional oak, fir & ribbon-striped mahogany with variable-depth woodgrain | Smooth | Smooth |
| Polyurethane | | Polyurethane |
| ✓ | | ✓ |
| AvantGuard® Prefinished, Stain or Paint* | AvantGuard® Prefinished, Paint | Paint |
| Limited Lifetime Warranty* 5 Year for AvantGuard® Finish* | | Limited 5-15 Year Warranty* |




Mix and match high-performing natural woodgrain textured or smooth door designs with your choice of decorative glass.



High-definition panel profile offers the security of steel for years of performance.

www.clearmillwork.com

DOORS



Masonite. The Beautiful Door.®

3

choose your material



species **BMT** Belleville® Mahogany Textured **BFT** Belleville® Fir Textured **BLT** Belleville® Oak Textured
BLS Belleville® Smooth **MHD** Masonite® HD Steel



FIBERGLASS

Engineered to Last a Lifetime

- proprietary, high-performance fiberglass doors are specially engineered to provide maximum protection and durability
- looks like real wood & insulates 5X better*
- available in mahogany, oak and fir woodgrain textures or a smooth finish
- smooth can be painted and textured best stained
- ideal for coastal applications
- will not dent or rust, plus resists splitting, cracking and warping
- square-edge, engineered stiles provide excellent dimensional stability for harsh weather climates
- reinforced lock block provides strength and security for door hardware
- high-quality composite wood bottom rails are rot and corrosion resistant
- backed by a Limited Lifetime Warranty



STEEL

High-Performance Steel

- durable, secure and long lasting
- resists rotting, splitting and cracking
- insulates better than wood*
- smooth finish
- easy to paint



*Based on insulating characteristics of polyurethane foam core compared to wood.



Masonite. The Beautiful Door.®

5

choose your hinges

You may want to match your hinge finish to other hardware hinges in your home, the coming color in your decorative glass, or to your handle set (or better yet, to all of these). We make it easy with 6 different hinge finishes to choose from.



Polished Brass*

Antique Brass

Dull Chrome*

Stainless Steel

Satin Nickel

Oil Rubbed Bronze*

*Ball bearing standard on fiberglass doors.

6

choose your exterior trim



FJ Primed Brickmould (standard)

Composite Ready-to-Stain

PVC Brickmould

PVC Brickmould with J-Channel

PVC Flat

PVC Flat with J-Channel

7

choose your finishing option

Good: DIY FINISHING

SMOOTH FIBERGLASS AND HD STEEL
Factory primed surface can be finished with oil-based or acrylic paint.

TEXTURED FIBERGLASS:
The fiberglass staining kit from Masonite comes with everything you need to achieve a quality stained finish. **See page 129**



Best: FACTORY PREFINISHED

Let us save a step for you! Our Fortress Coating Systems™ prefinished doors offer a superior finish over site finished doors and come with a 2 year warranty.

Available in 24 standard paint and stain colors, and an unlimited array of special order colors.

See details on pages 134-135



www.clearymillwork.com

DOORS

Masonite®
Interior Doors at a Glance



PALAZZO SERIES*




High-definition panels with deep, rich embossments and raised moulding impart an air of elegance to any space



Bellagio®
Capri®
Treviso®

WEST END COLLECTION*




Embossed lines and minimalist designs that add sophistication & bold style through understatement




Berkley®
Hamel®
Melrose®


HERITAGE® SERIES



Combines the classic lines of a wood shaker door with the durability of molded panel engineering



Lincoln Park®
Logan®
Winslow®



Decorate with Doors

Add Color to Your Home
with Masonite Molded Doors



CHEYENNE* • RIVERSIDE* • SADDLEBROOK*




Feature lines distinguish the architectural correctness of authentic stile & rail wood doors



Cheyenne*
Riverside*
Saddlebrook*

TRADITIONAL MOLDED PANEL




The originals, these doors complement any décor with their simple, pleasing lines & familiar designs



2, 3, 4 and 6 Panel
2 Panel Roman
2 Panel Arch-Top
4 Panel Arch-Top
6 Panel Prefinished

Personalize your interior door to reflect your unique style.



THERMA TRU[®] DOORS



The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 6-7.



Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 16-19.



Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 8-15.



Finish Options

Complete the desired look with stain or paint, including the Same-Day. Stain kit available in seven popular finish colors. More on pages 264-265.

JELD-WEN®

DOOR SOLUTIONS



JELD-WEN Exterior Doors | Fiberglass | Steel

Whatever you need your front door to be, JELD-WEN can fulfill your requirements. We make the greatest range of reliable exterior doors to suit a variety of architectural styles, climates and budgets. JELD-WEN Fiberglass exterior doors are a low-maintenance choice with beautiful details and designs to increase curb appeal. JELD-WEN Steel doors offer strength and style for a great value. They all are designed to meet ENERGY STAR® requirements*; and are reliable and worry-free.



Schlage F series Handlesets, Knobs, and Levers offer superior value with Schlage's unique styling and mechanical integrity.

- Handlesets are 100% forged brass construction
- Handlesets and Deadbolts available for doors up to 2-1/2" thick
- Passage, privacy and keypad entry levers are field reversible
- F Series interiors are compatible with FA Series handlesets

Finishes

- Bright Brass Lifetime or 10 Year Finish
- Antique Brass 10 Year Finish
- Satin Nickel Lifetime Finish
- Aged Bronze Lifetime Finish

Exterior Styles



Call Valley & Aetna
Building Products for prices.

Interior Styles




DELUXE

Deluxe Series is the answer whether you're looking for additional light, ventilation or protection from the elements. You'll find the exact style you're looking for in our Deluxe Series of storm doors.

Deluxe Series Storm Doors Include:

- Double seal bottom sweep
- 1¼" x 3½" wide sculptured frame
- BetterVue™ Fiberglass Screen



382 Full View with Beveled Glass

Standard Hardware & Accessories





Deluxe Styles



#385 Full View Double
Prairie with Beveled
Glass
Includes screen*



#382 Full View with
Beveled Glass
Includes screen*



#397 Full View
Includes screen*



#391 Full View
Divided Lite
Includes top screen



#396-V One-Lite with fixed
.023 gauge stainless steel
screen ventilated bottom
& removable sash
Includes top screen*



#396 One-Lite
Includes screen*



#399 Self-Storing
Includes full screen*



#398 Hi-Lite
Includes top screen



#389 Self-Storing
Includes full screen*



#392 Provincial
Self-Storing
Includes full screen*



#394 Provincial
Includes screen



#393 Crossbuck
Self-Storing
Includes full screen*



#395 Crossbuck
Includes screen



#379 Self-Storing
Includes full screen*




#374 Flush Hall-Lite
Includes screen



INSPIRATIONS
art glass

(Inspirations art glass is available in all
color palettes shown on pg. 47)



#397-VIN
Vintage (Timberland)

* Full and One-Lite screens have horizontal stabilizer bar.

SUPERVIEW

Superview offers a selection of storm doors constructed for style and value in one complete package.

Superview Series Storm Doors Include:

- Single seal bottom sweep
- 1¼" x 2½" sculptured frame
- BetterVue™
Fiberglass Screen



Standard Hardware & Accessories



Black Pull Handle
Also available
in White



4 color matched
leaf hinges with
brass bushings



Color matched
bottom expander



Single Black Closer
Also available
in White



Superview Styles



#897 Full View
Includes screen*



#896 One-Lite
Includes screen*



#898 Hi-Lite
Includes top screen



#899 Self-Storing
Includes bottom
screen




#895 Crossbuck
Includes screen

Superview storm doors are available in the following colors only:



To select paint color, refer to our color selector for accurate color representation.

* Full and One-Lite screens have horizontal stabilizer bar.



**VALLEY & AETNA
BUILDING PRODUCTS**

East Granby

**54 Bradley Park Rd
East Granby, CT
1-877-546-1234
1-860-653-0010
1-860-653-1510(fax)**

East Hartford

**225 Prospect St
East Hartford, CT
1-860-528-9552
1-860-289-2295 (fax)**

ValleyandAetna.com

**Mailing Address
P.O. Box 59
Granby, CT. 06035**